

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209366 - TERIYAKI DUDE		Site Address 4112 MONTEREY RD C, SAN JOSE, CA 95111		Inspection Date 11/13/2023		Placard Color & Score <div style="background-color: green; color: white; padding: 10px; text-align: center;"> GREEN 89 </div>		
Program PR0303840 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name HA, SHANE		Inspection Time 15:00 - 16:30			
Inspected By MARCELA MASRI		Inspection Type ROUTINE INSPECTION		Consent By SHANE HA				FSC SHANE HA 3-10-27

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth					X		
K04	Proper eating, tasting, drinking, tobacco use					X		
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X				X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	X
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0209366 - TERIYAKI DUDE	Site Address 4112 MONTEREY RD C, SAN JOSE, CA 95111	Inspection Date 11/13/2023
Program PR0303840 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name HA, SHANE	Inspection Time 15:00 - 16:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: FOUND THE HOT WATER AT THE 3 COMPARTMENT SINK AT 110F. [CA] PROVIDE HOT WATER AT 120F MINIMUM.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: FOUND DUST AND DEBRIS ON THE WINDOW SILL NEXT TO THE REACH DOWN FREEZER. [CA] CLEAN THIS AREA MORE OFTEN. COS

FOUND GREASE AND GRIME ON THE HANDLE AND DOOR OF THE REACH IN FREEZER NEAR THE COOKING AREA. [CA] CLEAN THIS PART MORE OFTEN. COS

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: FOUND A LEAK AT THE FAUCET IN THE RESTROOM HAND WASH SINK. [CA] REPAIR THE LEAK.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: FOUND THE MOPS IN THE BUCKET AND IN THE MOP SINK. [CA] HANG THE MOPS TO AIR DRY.

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations: MISSING THE HAND WASH SIGN AT THE RESTROOM. [CA] PROVIDE THE HAND WASH SIGN.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
ONIONS	SERVICE REFRIGERATOR	40.00 Fahrenheit	
CHEESE	SERVICE REFRIGERATOR	41.00 Fahrenheit	
HOT WATER	3 COMPARTMENT SINK	110.00 Fahrenheit	
BEEF	SERVICE REFRIGERATOR	34.00 Fahrenheit	
BEEF	COOKING TEMP	189.00 Fahrenheit	
STEAK	REACH DOWN FREEZER	-10.00 Fahrenheit	
DUMPLINGS	REACH DOWN FREEZER	-2.00 Fahrenheit	
BEEF	SERVICE REFRIGERTOR 2	32.00 Fahrenheit	
HOT WATER	HAND WASH SINK	100.00 Fahrenheit	
RICE	HOT HOLDING	169.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0209366 - TERIYAKI DUDE	Site Address 4112 MONTEREY RD C, SAN JOSE, CA 95111	Inspection Date 11/13/2023
Program PR0303840 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name HA, SHANE	Inspection Time 15:00 - 16:30

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/27/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: SHANE HA
OWNER
Signed On: November 13, 2023