County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202720 - NEW KING EGGROLLS		Site Address 442 W CALAVERAS BL, MILPITAS, CA 95035		Inspection Date 12/08/2022
Program PR0301127 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name NEW KING EGGROLLS	Inspection Time 11:30 - 13:15
Inspected By	Inspection Type	Consent By		



Comments and Observations

Major Violations

Cited On: 11/30/2022

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

Compliance of this violation has been verified on: 12/06/2022

Cited On: 11/30/2022

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 12/08/2022. See details below.

Cited On: 12/06/2022

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 12/08/2022. See details below.

Cited On: 12/08/2022

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: In the kitchen area, in and underneath the microwave and weighing machine, observed multiple live cockroaches. In the back cookline area, on the wall between the warewash area and the prep area where the ticket holder is stored, observed multiple live cockroaches. [CA] Ensure facility is kept free of cockroach activity. Clean and sanitize all areas with activity. Seal all cracks and crevices to prevent further harborage. Contact pest control to provide service to facility. Operator requested follow-up inspection at 8:00am on 12/9/2022. Contact Department of Environmental Health for any changes to scheduled inspection. Facility shall be free of activity during follow-up inspection or facility will remain closed. Next inspection to be charged \$219.00 per hour. Any after-hours and weekend inspections will be charged \$493.00.

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

Follow-up inspection for cockroach activity.

During time of inspection, observed live activity in the kitchen area, at the microwave and weighing machine.

In the back cookline area, observed live activity on the wall between the warewash area, and the prep area where the ticket holder is stored.

Facility closed due to live activity. Clean facility and seal all cracks and crevices to prevent continued harborage.

Contact district inspector for follow-up inspection when cockroach activity has been abated. Any live activity will result in continued closure of the facility.

OFFICIAL INSPECTION REPORT

	Site Address	RI MILDITAS CA 05035	Inspection Date 12/08/2022
FAU2U212U - NEW KING EGGRULLS	442 W CALAVERAS BL, MILPITAS, CA 95035		12/00/2022
Program		Owner Name	Inspection Time
PR0301127 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		NEW KING EGGROLLS	11:30 - 13:15

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <a href="https://doi.org/10.21/20.22/2

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

 [CA]
 Corrective Action

 [COS]
 Corrected on Site

 [N]
 Needs Improvement

 [NA]
 Not Applicable

 [NO]
 Not Observed

[PBI] Performance-based Inspection[PHF] Potentially Hazardous Food

[PIC] Person in Charge
 [PPM] Part per Million
 [S] Satisfactory
 [SA] Suitable Alternative

[TPHC] Time as a Public Health Control

Received By: TINH NGUYEN OWNER

Signed On: December 08, 2022