

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0276860 - SOURDOUGH & CO		Site Address 304 W EL CAMINO REAL 304, SUNNYVALE, CA 940	Inspection Date 04/23/2024
Program PR0418416 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		Owner Name D & B VENTURES GROUP IN	Inspection Time 11:15 - 12:00
Inspected By JESSICA ZERTUCHE	Inspection Type FOLLOW-UP INSPECTION	Consent By BHUPINDER	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 04/18/2024

K05 - 8 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Compliance of this violation has been verified on: 04/23/2024

Cited On: 04/18/2024

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

This violation found not in compliance on 04/23/2024. See details below.

Cited On: 04/18/2024

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Compliance of this violation has been verified on: 04/23/2024

Minor Violations

Cited On: 04/18/2024

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

This violation found not in compliance on 04/23/2024. See details below.

Cited On: 04/18/2024

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

This violation found not in compliance on 04/23/2024. See details below.

Measured Observations

Item	Location	Measurement	Comments
ham	prep unit (by cash register)	40.00 Fahrenheit	
bleu cheese	prep unit (against wall right side, under online tickets)	46.00 Fahrenheit	
skliced tomatoe	prep unit (against wall left side)	40.00 Fahrenheit	

Overall Comments:

This is a follow up inspection from last week. Facility received a yellow placard.

At time of inspection, three of the four prep refrigerators measured at 41F or below. one unit (against wall below online ticket orders) is still measuring between 46-50F. Inside this unit is feta cheese, bleu cheese, cut tomatoes, cooked chicken and pre-made salads.

Repair this unit at once to maintain 41F or below. Recommend using ice baths or moving foods to another cooler until unit is repaired.

Staff have been retrained on handwashing and glove usage.

OFFICIAL INSPECTION REPORT


Facility FA0276860 - SOURDOUGH & CO	Site Address 304 W EL CAMINO REAL 304, SUNNYVALE, CA 94087	Inspection Date 04/23/2024
Program PR0418416 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name D & B VENTURES GROUP INC	Inspection Time 11:15 - 12:00

Continue to correct remaining violations.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/7/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: bhupinder singh
person in charge

Signed On: April 23, 2024