

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0301708 - BIKANOS		<b>Site Address</b> 1635 HOLLENBECK AV 1635, SUNNYVALE, CA 9406		<b>Inspection Date</b> 11/09/2023		<b>Placard Color &amp; Score</b> <div style="font-size: 2em; font-weight: bold; text-align: center;">GREEN</div> <div style="font-size: 3em; font-weight: bold; text-align: center;">91</div>		
<b>Program</b> PR0443146 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			<b>Owner Name</b> BAJRANG BHAMU		<b>Inspection Time</b> 15:30 - 16:45			
<b>Inspected By</b> JESSICA ZERTUCHE		<b>Inspection Type</b> ROUTINE INSPECTION		<b>Consent By</b> SAM AND BAJRANG				<b>FSC</b> Not Available

  

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

  

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		X
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0301708 - BIKANOS	Site Address 1635 HOLLENBECK AV 1635, SUNNYVALE, CA 94087	Inspection Date 11/09/2023
Program PR0443146 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name BAJRANG BHAMU	Inspection Time 15:30 - 16:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

**Inspector Observations: Food handler cards and food safety manager certificate are not available for review**  
**[CA] - Ensure all food employees have valid food handler cards. At least one person at the facility shall maintain valid food safety manager certificate.**  
**Due to same ownership with Bikaneer Sweet, ok to have one manager certificate for both facilities.**

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

**Inspector Observations: Two door reach in unit near cookline observed with broken door and temperature is 46F**  
**[CA] - Repair doors to unit and ensure it maintains 41F or below.**

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

**Inspector Observations: Drain line to 3-compartment sink observed with duct tape around pipe near flooring. Also observed some standing water near pipe. When water is running, no backflow or leaks observed**  
**[CA] - Remove duct tape and ensure there are no leaks, all liquid waste shall be properly disposed. Clean floors.**

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

**Inspector Observations: Observed tandoori oven not being used and partially outside of hood**  
**[CA] - Remove any unused equipment from the premises, this includes the 2 unused ovens and mixer outside on the curb by Bikaneer Sweet.**

**Observed some gaps in ceiling above water heater**  
**[CA] - Seal any gaps in facility to prevent vermin entry.**

### Performance-Based Inspection Questions

N/A

### Measured Observations

Item	Location	Measurement	Comments
yogurt	unit across cookline	40.00 Fahrenheit	
hot water	3-comp	120.00 Fahrenheit	
milk	reach in	46.00 Fahrenheit	
chlorine sanitizer	dishwasher	50.00 PPM	
warm water	handwash sink	100.00 Fahrenheit	

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/23/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

Facility FA0301708 - BIKANOS	Site Address 1635 HOLLENBECK AV 1635, SUNNYVALE, CA 94087	Inspection Date 11/09/2023
Program PR0443146 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name BAJRANG BHAMU	Inspection Time 15:30 - 16:45

## Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



---

**Received By:** Bajrang Bhamu  
owner

**Signed On:** November 09, 2023