

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0200591 - ST JOSEPH CUPERTINO CHURCH		Site Address 10110 N DE ANZA BL, CUPERTINO, CA 95014		Inspection Date 03/27/2026		Placard Color & Score GREEN 92		
Program PR0306163 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23			Owner Name ST JOSEPH CUPERTINO CHI		Inspection Time 12:10 - 13:10			
Inspected By SUHKREET KAUR		Inspection Type ROUTINE INSPECTION		Consent By CAITLIN LAVERY				FSC PRIMITIVO MARTINEZ 4/11/2029

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures					X		
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				N
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				N
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0200591 - ST JOSEPH CUPERTINO CHURCH	Site Address 10110 N DE ANZA BL, CUPERTINO, CA 95014	Inspection Date 03/27/2026
Program PR0306163 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23	Owner Name ST JOSEPH CUPERTINO CHURCH	Inspection Time 12:10 - 13:10
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Observed oink mold like substance on inside white panel of ice machine, it is not coming in contact with ice at the time.

[CA] Clean and sanitize the ice machine.

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: * Repeat violation

Hot water measured at two compartment sink at 102F.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Accumulation of grease and food debris on floors under cook line.

[CA] Clean the floors and maintain in good condition.

Performance-Based Inspection Questions

Needs Improvement - Hot and cold water available.

Needs Improvement - Food contact surfaces clean, sanitized.

Measured Observations

Item	Location	Measurement	Comments
Water	Two compartment sink	102.00 Fahrenheit	
Ambient	Single door freezer	20.00 Fahrenheit	
Ambient	Two door refrigerator	41.00 Fahrenheit	
Water	Hand wash sink	100.00 Fahrenheit	

Overall Comments:

FP23 permit is currently used for both school and bingo. Due to repeat K23 (Hot and cold water available) violation, permit separation of school and bingo may be considered.

District specialist will contact school Principal and Head Priest (for Bingo) to discuss further steps.

Facility gets prepackaged lunch from Pasta Market at 460 E El Camino Real, Sunnyvale. A designated person from facility goes over to Pasta Market and picks up the food at 11:30 AM. Lunch is provided to students at 12.

Provide a temperature log sheet for food items and maintain logs for review.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/10/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0200591 - ST JOSEPH CUPERTINO CHURCH	Site Address 10110 N DE ANZA BL, CUPERTINO, CA 95014	Inspection Date 03/27/2026
Program PR0306163 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23	Owner Name ST JOSEPH CUPERTINO CHURCH	Inspection Time 12:10 - 13:10

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: CAITLIN LAVERY

Signed On: March 27, 2026