

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201189 - MI GUSTO ES MEXICAN RESTAURANT		Site Address 433 1ST ST, GILROY, CA 95020		Inspection Date 04/01/2025	
Program PR0304239 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name MI GUSTO ES MEXICAN RES		Inspection Time 15:15 - 16:30
Inspected By GUILLERMO VAZQUEZ	Inspection Type ROUTINE INSPECTION	Consent By MARILU VILLA GOMEZ	FSC Jonathan Montano 7/15/29		

Placard Color & Score
GREEN
92

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						S
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						S
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures	X						S
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods	X						
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed			X				
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean	X	
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0201189 - MI GUSTO ES MEXICAN RESTAURANT	Site Address 433 1ST ST, GILROY, CA 95020	Inspection Date 04/01/2025
Program PR0304239 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name MI GUSTO ES MEXICAN RESTAURANT LLC	Inspection Time 15:15 - 16:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Inspector Observations: Salsa within prep table was measured at 45°F at the time of inspection.
[CA] PHFs shall be held at 41°F or below or at 135°F or above.**

K22 - 3 Points - Sewage and wastewater improperly disposed; 114197

**Inspector Observations: Sewage from the mop sink is coming back up into the mop sink. All other drains within the facility are functioning properly.
[CA] Have drain looked at by a contractor.
REPEAT VIOLATION. Failure to comply may result in enforcement action.**

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

**Inspector Observations: Dust build up on the fan guards of the walk in.
[CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.**

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Warm water	Hand wash/restroom	100.00 Fahrenheit	
Shelled eggs	Walk in	38.00 Fahrenheit	
Hot water	3-Compartment/prep/mop sinks	120.00 Fahrenheit	
Raw steak	Under counter refrigeration	39.00 Fahrenheit	
Beans	Hot holding (cook line)	166.00 Fahrenheit	
Salsa (tomato base)	Prep table #2	45.00 Fahrenheit	Adjust to 41°F below.
Cooked chicken	Hot holding (steam table)	161.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer	50.00 PPM	
Cheese	Prep table	38.00 Fahrenheit	
Carnitas	Walk in	38.00 Fahrenheit	
Tomato sauce	Hot holding (steam table)	163.00 Fahrenheit	
Cooked steak	Cook line	189.00 Fahrenheit	Final cook temperature.
Pico de gallo	Prep table	39.00 Fahrenheit	
Raw chicken	Under counter refrigeration	39.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/15/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0201189 - MI GUSTO ES MEXICAN RESTAURANT	Site Address 433 1ST ST, GILROY, CA 95020	Inspection Date 04/01/2025
Program PR0304239 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name MI GUSTO ES MEXICAN RESTAURANT LLC	Inspection Time 15:15 - 16:30

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Marilu Villa Gomez
PIC

Signed On: April 01, 2025