

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0283548 - FIREHOUSE SUBS		Site Address 5130 CHERRY AV 60, SAN JOSE, CA 95118		Inspection Date 11/24/2025		Placard Color & Score GREEN 88		
Program PR0425335 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name RBNA LLC		Inspection Time 13:00 - 13:45			
Inspected By JENNIFER RIOS		Inspection Type ROUTINE INSPECTION		Consent By ADELOISA				FSC Adeloisa Faz 01/23/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth					X		
K04	Proper eating, tasting, drinking, tobacco use					X		
K05	Hands clean, properly washed; gloves used properly					X		
K06	Adequate handwash facilities supplied, accessible		X		X			N
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						S
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0283548 - FIREHOUSE SUBS	Site Address 5130 CHERRY AV 60, SAN JOSE, CA 95118	Inspection Date 11/24/2025
Program PR0425335 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name RBNA LLC	Inspection Time 13:00 - 13:45
K48	Plan review	
K49	Permits available	X
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: *Paper towel dispenser was not working in back preparation area. Paper towels were not available. [CA] Single-use sanitary towels shall be provided in dispensers at all times during operation. [SA] PIC provided a roll of paper towels next to handwash sink until dispenser could be repaired.*

MINOR- *Observed pitcher of water in handwash sink. [CA] Ensure that handwash sink remains clear and available for use at all times during operation.*

Minor Violations

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: *Observed leak in the drain pipe of the handwash sink in the first restroom. [CA] Repair plumbing fixture and maintain in clean and good repair.*

K49 - 2 Points - Permits not available; 114067(b,c), 114381(a), 114387

Inspector Observations: *Posted permit has expired 06/30/2025. [CA] Ensure the current Environmental Health permit is posted.*

Performance-Based Inspection Questions

Needs Improvement - Adequate handwash facilities: supplied or accessible.

Measured Observations

Item	Location	Measurement	Comments
Meatball	Hot holding	161.00 Fahrenheit	
Warm water	Handwash	100.00 Fahrenheit	
Turkey	Walk in fridge	37.00 Fahrenheit	
Quaternary ammonia	Three compartment sink	300.00 PPM	
Soup	Hot holding	142.00 Fahrenheit	
Turkey	Cold holding insert	38.00 Fahrenheit	
Sliced tomato	Cold holding insert	40.00 Fahrenheit	
Sliced tomato	Cold holding insert	39.00 Fahrenheit	
Hot water	Three compartment sink	120.00 Fahrenheit	
Warm water	Restroom handwash	100.00 Fahrenheit	
Sliced tomato	Walk in fridge	37.00 Fahrenheit	
Soup	Walk in freezer	-1.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/8/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0283548 - FIREHOUSE SUBS	Site Address 5130 CHERRY AV 60, SAN JOSE, CA 95118	Inspection Date 11/24/2025
Program PR0425335 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name RBNA LLC	Inspection Time 13:00 - 13:45

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Adeloisa Faz
Manager

Signed On: November 24, 2025