

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0284467 - ROSS DRESS FOR LESS #1919		Site Address 1032 E BROKAW RD, SAN JOSE, CA 95131	Inspection Date 11/19/2024
Program PR0426656 - LIMITED FOOD SERVICE CAT 2 - FP76		Owner Name ROSS DRESS FOR LESS INC	Inspection Time 14:50 - 15:45
Inspected By MINDY NGUYEN	Inspection Type FOLLOW-UP INSPECTION	Consent By DIPANSHU	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

Cited On: 11/19/2024

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Measured hot water at the janitorial sink to be 106F (water temperature initially measured at 111F but then dropped to 106F).

[CA] Provide hot water (120F) at the janitorial sink.

Measured Observations

Item	Location	Measurement	Comments
WARM WATER	HANDWASH SINK, RESTROOM	100.00 Fahrenheit	
HOT WATER	JANITORIAL SINK	106.00 Fahrenheit	HOT WATER MEASURED AT 111F, THEN DROPPED TO 106F

Overall Comments:

This was a follow-up to the inspections conducted on 10/14/24, 10/23/24, and 10/31/24 to assess compliance regarding hot water. Measured warm water at the restroom to be 100F but hot water at the janitorial sink measured 106F. Adjust water heater to provide 120F at the janitorial sink. OK to operate.

The facility will be billed \$298 x 2 = \$596 for 10/31/24 follow-up inspection and today's follow-up inspection.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/3/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control


Received By: Dipanshu Jassal
Area Supervisor
Signed On: November 19, 2024