

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | |
|--|--|---|-----------------------------------|--------------------------------------|---|
| Facility FA0252365 - SPEEDWAY #5026 | | Site Address 6050 MONTEREY RD, SAN JOSE, CA 95138 | | Inspection Date 03/25/2026 | |
| Program PR0367309 - NO FOOD PREP <5,000 SQ FT - FP06 | | | Owner Name SPEEDWAY LLC | | Inspection Time 12:45 - 13:15 |
| Inspected By GINA STIEHR | Inspection Type ROUTINE INSPECTION | Consent By DAO CHUNG | | FSC Exempt | |

| |
|----------------------------------|
| Placard Color & Score |
| GREEN |
| 100 |

| RISK FACTORS AND INTERVENTIONS | IN | OUT | | COS/SA | N/O | N/A | PBI |
|---|----|-------|-------|--------|-----|-----|-----|
| | | Major | Minor | | | | |
| K01 Demonstration of knowledge; food safety certification | | | | | | X | |
| K02 Communicable disease; reporting/restriction/exclusion | X | | | | | | S |
| K03 No discharge from eyes, nose, mouth | | | | | X | | |
| K04 Proper eating, tasting, drinking, tobacco use | | | | | X | | |
| K05 Hands clean, properly washed; gloves used properly | | | | | X | | |
| K06 Adequate handwash facilities supplied, accessible | X | | | | | | S |
| K07 Proper hot and cold holding temperatures | X | | | | | | S |
| K08 Time as a public health control; procedures & records | | | | | | X | |
| K09 Proper cooling methods | | | | | | X | |
| K10 Proper cooking time & temperatures | | | | | | X | |
| K11 Proper reheating procedures for hot holding | | | | | | X | |
| K12 Returned and reservice of food | X | | | | | | |
| K13 Food in good condition, safe, unadulterated | X | | | | | | |
| K14 Food contact surfaces clean, sanitized | | | | | X | | |
| K15 Food obtained from approved source | X | | | | | | |
| K16 Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 Hot and cold water available | X | | | | | | |
| K22 Sewage and wastewater properly disposed | X | | | | | | |
| K23 No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | OUT | COS |
|---|-----|-----|
| K24 Person in charge present and performing duties | | |
| K25 Proper personal cleanliness and hair restraints | | |
| K26 Approved thawing methods used; frozen food | | |
| K27 Food separated and protected | | |
| K28 Fruits and vegetables washed | | |
| K29 Toxic substances properly identified, stored, used | | |
| K30 Food storage: food storage containers identified | | |
| K31 Consumer self service does prevent contamination | | |
| K32 Food properly labeled and honestly presented | | |
| K33 Nonfood contact surfaces clean | | |
| K34 Warewash facilities: installed/maintained; test strips | | |
| K35 Equipment, utensils: Approved, in good repair, adequate capacity | | |
| K36 Equipment, utensils, linens: Proper storage and use | | |
| K37 Vending machines | | |
| K38 Adequate ventilation/lighting; designated areas, use | | |
| K39 Thermometers provided, accurate | | |
| K40 Wiping cloths: properly used, stored | | |
| K41 Plumbing approved, installed, in good repair; proper backflow devices | | |
| K42 Garbage & refuse properly disposed; facilities maintained | | |
| K43 Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 Floor, walls, ceilings: built, maintained, clean | | |
| K46 No unapproved private home/living/sleeping quarters | | |
| K47 Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|--|---|---|
| Facility FA0252365 - SPEEDWAY #5026 | Site Address 6050 MONTEREY RD, SAN JOSE, CA 95138 | Inspection Date 03/25/2026 |
| Program PR0367309 - NO FOOD PREP <5,000 SQ FT - FP06 | Owner Name SPEEDWAY LLC | Inspection Time 12:45 - 13:15 |
| K48 Plan review | | |
| K49 Permits available | | |
| K58 Placard properly displayed/posted | | |

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

No minor violations were observed during this inspection.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

| Item | Location | Measurement | Comments |
|-----------|----------|-------------------|----------|
| milk | reach-in | 45.00 Fahrenheit | |
| hot water | handwash | 100.00 Fahrenheit | |

Overall Comments:

OWNERSHIP CHANGE INFORMATION

NEW FACILITY NAME: 2GO MSO LLC 43190

NEW OWNER: 2GO MSO LLC

The applicant has completed the facility evaluation application process for an Environmental Health Permit.

The permit category for this facility is FP06. An invoice for the permit fee in the amount of \$735.00 will be mailed to the billing address on the application. Payment must be submitted within 10 days of receipt of the invoice. The owner is responsible for contacting our department if an invoice is not received and remit payment within 30 days.

The Environmental Health Permit will be effective: 04/01/2026 - 03/31/2027 This report serves as a temporary permit. However, the permit will be deemed invalid if the permit fee is not paid in full within 30 days from the date of this report. Okay to Operate.

An official permit will be mailed to the address on file and shall be posted in public view upon receipt.

**Structural Review inspection conducted on 03/25/2026*

**Permit condition: _____*

**Obtain food safety manager certificate within 60 days. All other food employees must have valid food handler cards within 30 days from hire date.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/8/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

| | | |
|--|---|---|
| Facility FA0252365 - SPEEDWAY #5026 | Site Address 6050 MONTEREY RD, SAN JOSE, CA 95138 | Inspection Date 03/25/2026 |
| Program PR0367309 - NO FOOD PREP <5,000 SQ FT - FP06 | Owner Name SPEEDWAY LLC | Inspection Time 12:45 - 13:15 |

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Dao Chung
Store Manager

Signed On: March 25, 2026