

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | | | | |
|---|--|--|--|--------------------------------------|---|--|--|--|
| Facility FA0260499 - WINGSTOP RESTAURANT #326 | | Site Address 503 COLEMAN AV 40, SAN JOSE, CA 95110 | | Inspection Date 09/06/2024 | | Placard Color & Score <div style="background-color: green; color: white; padding: 10px; text-align: center;"> GREEN 95 </div> | | |
| Program PR0381831 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 | | | Owner Name DEMAYO RESTAURANT GRC | | Inspection Time 12:00 - 13:00 | | | |
| Inspected By LAWRENCE DODSON | | Inspection Type ROUTINE INSPECTION | | Consent By ITZEL VALENCIA | | | | FSC Itzel Valencia 8/10/2029 |

| RISK FACTORS AND INTERVENTIONS | | IN | OUT | | COS/SA | N/O | N/A | PBI |
|--------------------------------|---|----|-------|-------|--------|-----|-----|-----|
| | | | Major | Minor | | | | |
| K01 | Demonstration of knowledge; food safety certification | X | | | | | | |
| K02 | Communicable disease; reporting/restriction/exclusion | X | | | | | | S |
| K03 | No discharge from eyes, nose, mouth | X | | | | | | |
| K04 | Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 | Hands clean, properly washed; gloves used properly | X | | | | | | |
| K06 | Adequate handwash facilities supplied, accessible | | | X | | | | |
| K07 | Proper hot and cold holding temperatures | | | | | X | | |
| K08 | Time as a public health control; procedures & records | | | | | | X | |
| K09 | Proper cooling methods | | | | | | X | |
| K10 | Proper cooking time & temperatures | X | | | | | | |
| K11 | Proper reheating procedures for hot holding | | | | | X | | |
| K12 | Returned and reservice of food | X | | | | | | |
| K13 | Food in good condition, safe, unadulterated | X | | | | | | |
| K14 | Food contact surfaces clean, sanitized | X | | | | | | |
| K15 | Food obtained from approved source | X | | | | | | |
| K16 | Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 | Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 | Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 | Consumer advisory for raw or undercooked foods | | | | | | X | |
| K20 | Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 | Hot and cold water available | X | | | | | | |
| K22 | Sewage and wastewater properly disposed | X | | | | | | |
| K23 | No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | | OUT | COS |
|-----------------------|---|-----|-----|
| K24 | Person in charge present and performing duties | | |
| K25 | Proper personal cleanliness and hair restraints | | |
| K26 | Approved thawing methods used; frozen food | | |
| K27 | Food separated and protected | | |
| K28 | Fruits and vegetables washed | | |
| K29 | Toxic substances properly identified, stored, used | | |
| K30 | Food storage: food storage containers identified | | |
| K31 | Consumer self service does prevent contamination | | |
| K32 | Food properly labeled and honestly presented | | |
| K33 | Nonfood contact surfaces clean | | |
| K34 | Warewash facilities: installed/maintained; test strips | | |
| K35 | Equipment, utensils: Approved, in good repair, adequate capacity | | |
| K36 | Equipment, utensils, linens: Proper storage and use | | |
| K37 | Vending machines | | |
| K38 | Adequate ventilation/lighting; designated areas, use | | |
| K39 | Thermometers provided, accurate | | |
| K40 | Wiping cloths: properly used, stored | | |
| K41 | Plumbing approved, installed, in good repair; proper backflow devices | | X |
| K42 | Garbage & refuse properly disposed; facilities maintained | | |
| K43 | Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 | Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 | Floor, walls, ceilings: built, maintained, clean | | |
| K46 | No unapproved private home/living/sleeping quarters | | |
| K47 | Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|--|---|----------------------------------|
| Facility FA0260499 - WINGSTOP RESTAURANT #326 | Site Address 503 COLEMAN AV 40, SAN JOSE, CA 95110 | Inspection Date 09/06/2024 |
| Program PR0381831 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10 | Owner Name DEMAYO RESTAURANT GROUP, INC | Inspection Time 12:00 - 13:00 |
| K48 Plan review | | |
| K49 Permits available | | |
| K58 Placard properly displayed/posted | | |

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: Hand wash sink obstructed by hand mixer and trash can.

[CA] Handwashing facility shall be clean, unobstructed, and accessible at all times.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Cold water lever at hand wash sink is in disrepair.

[CA] Repair plumbing fixture and maintain in clean and good repair.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations


| Item | Location | Measurement | Comments |
|-----------------------|-----------------------|-------------------|-----------------------------------|
| water | middle hand wash sink | 119.00 Fahrenheit | 3 available hand wash sinks. 100F |
| raw chicken | walk-in refrigerator | 35.00 Fahrenheit | |
| standing refrigerator | kitchen | 40.00 Fahrenheit | |
| water | 3 compartment sink | 120.00 Fahrenheit | |
| walk in refrigerator | storage | 34.00 Fahrenheit | |
| cooked chicken | fryer | 191.00 Fahrenheit | |

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/20/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

| | |
|--------|---------------------------------|
| [CA] | Corrective Action |
| [COS] | Corrected on Site |
| [N] | Needs Improvement |
| [NA] | Not Applicable |
| [NO] | Not Observed |
| [PBI] | Performance-based Inspection |
| [PHF] | Potentially Hazardous Food |
| [PIC] | Person in Charge |
| [PPM] | Part per Million |
| [S] | Satisfactory |
| [SA] | Suitable Alternative |
| [TPHC] | Time as a Public Health Control |


Received By: Itzel Valencia
PIC
Signed On: September 06, 2024