

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206955 - KIM LOI BANH BAO RESTAURANT INC		Site Address 1716 TULLY RD B, SAN JOSE, CA 95122		Inspection Date 02/10/2025		Placard Color & Score <div style="background-color: green; color: white; padding: 10px; text-align: center;"> GREEN 93 </div>		
Program PR0303171 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name KIM LOI BANH BAO RESTAURI		Inspection Time 14:25 - 15:10			
Inspected By HENRY LUU		Inspection Type ROUTINE INSPECTION		Consent By KIM				FSC Thinh Tran 03/29/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records	X						S
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0206955 - KIM LOI BANH BAO RESTAURANT INC		Site Address 1716 TULLY RD B, SAN JOSE, CA 95122	Inspection Date 02/10/2025
Program PR0303171 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name KIM LOI BANH BAO RESTAURANT INC	Inspection Time 14:25 - 15:10
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Observed 10+ rodent droppings in the following areas:

- On floor along the wall underneath the tables and drain boards ware washing area.
- On floor underneath the cook line.

No observations of contaminated food nor food contact surfaces. Facility is serviced monthly with pest control scheduled for service today.

[CA] Clean and sanitize area of old droppings.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations: Observed 2-3 bags of food stored directly on floor inside the walk-in freezer.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Observed large gap on wall where the sewage pipes protrude from the wall at the drain boards of the ware washing area - left of the sinks

[CA] Repair holes in structure and maintain in good repair to prevent pest harborage.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Sweet custard	Food preparation table	100.00 Fahrenheit	Cooling
Large pork buns	Walk-in refrigerator - right side	40.00 Fahrenheit	
Comminuted pork	Walk-in refrigerator - right side	29.00 Fahrenheit	
Hot water	Three-compartment sink	132.00 Fahrenheit	
Small BBQ pork bun	Walk-in refrigerator - left side	40.00 Fahrenheit	
Warm water	Hand wash sink - restroom	100.00 Fahrenheit	
Hardboiled eggs	Walk-in refrigerator - left side	40.00 Fahrenheit	
Small custard bun	Walk-in refrigerator - left side	40.00 Fahrenheit	
Warm water	Hand wash sink	104.00 Fahrenheit	
Large pork buns	Walk-in refrigerator - left side	40.00 Fahrenheit	
Small pork bun	Walk-in refrigerator - left side	41.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/24/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0206955 - KIM LOI BANH BAO RESTAURANT INC	Site Address 1716 TULLY RD B, SAN JOSE, CA 95122	Inspection Date 02/10/2025
Program PR0303171 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name KIM LOI BANH BAO RESTAURANT INC	Inspection Time 14:25 - 15:10

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Thinh T.
Owner

Signed On: February 10, 2025