

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0271949 - LHCF - AMBERWOOD GARDENS		Site Address 1601 PETERSEN AV, SAN JOSE, CA 95129		Inspection Date 08/24/2026		Placard Color & Score GREEN 98		
Program PR0411229 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name WESTGATE PREMIER HEALT		Inspection Time 12:05 - 14:00			
Inspected By FRANK LEONG		Inspection Type ROUTINE INSPECTION		Consent By RACHEL LAMBERT				FSC RACHEL LAMBERT 09/18/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered	X						
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0271949 - LHCF - AMBERWOOD GARDENS		Site Address 1601 PETERSEN AV, SAN JOSE, CA 95129	Inspection Date 08/24/2026
Program PR0411229 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name WESTGATE PREMIER HEALTHCARE	Inspection Time 12:05 - 14:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: In the kitchen area, observed gaps between the hood and metal panels installed to the wall. In the warewash area, observed degrading ceiling and crevices around ventilation pipes connected to the ceiling. In the same area, observed spray foam used to seal holes and create additional crevices. In the dry storage room, observed coving peeling away from the wall and creating gaps.

[CA] Ensure all gaps, cracks, crevices, holes, and openings are sealed to prevent possible harborage and entrance for vermin.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
pasta	steam table	156.00 Fahrenheit	
pureed vegetables	steam table	165.00 Fahrenheit	
lentil soup	pot on stovetop (turned off)	138.00 Fahrenheit	
sliced turkey	walk-in refrigerator	40.00 Fahrenheit	
cooked chicken	counter-top	190.00 Fahrenheit	
shredded cheese	walk-in refrigerator	39.00 Fahrenheit	
quaternary ammonium sanitizer	sanitizer bucket	300.00 PPM	
ground veggie patty	flat top grill	130.00 Fahrenheit	
chlorine sanitizer	warewash machine	100.00 PPM	
cooked chicken	flat top grill	170.00 Fahrenheit	
hot water	3 compartment sink	120.00 Fahrenheit	
oat milk	3 door reach in refrigerator	40.00 Fahrenheit	
pasteurized raw shelled eggs	walk-in refrigerator	39.00 Fahrenheit	
ground turkey	steam table	168.00 Fahrenheit	
hot water	handwash sink	108.00 Fahrenheit	
quaternary ammonium sanitizer	3 compartment sink	300.00 PPM	
meatballs	steam table	155.00 Fahrenheit	
milk	3 door reach in refrigerator	40.00 Fahrenheit	
brown rice	steam table	170.00 Fahrenheit	
cooked vegetables	steam table	165.00 Fahrenheit	
hot water	2 compartment sink	120.00 Fahrenheit	

Overall Comments:

**Joint inspection with Jasmine Lopez
Report written by Frank Leong**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/7/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0271949 - LHCF - AMBERWOOD GARDENS	Site Address 1601 PETERSEN AV, SAN JOSE, CA 95129	Inspection Date 08/24/2026
Program PR0411229 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name WESTGATE PREMIER HEALTHCARE	Inspection Time 12:05 - 14:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: RACHEL LAMBERT
DIETARY MANAGER

Signed On: August 24, 2026