

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0208733 - EAT EAT SEAFOOD & CRAWFISH	<b>Site Address</b> 3126 SENTER RD, SAN JOSE, CA 95111	<b>Inspection Date</b> 07/16/2021
<b>Program</b> PR0306925 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	<b>Owner Name</b> ANAN HOUSE INC	<b>Inspection Time</b> 10:00 - 11:00
<b>Inspected By</b> LAWRENCE DODSON	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> CHRIS

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

### Comments and Observations

#### Major Violations

Cited On: 07/15/2021

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

**Compliance of this violation has been verified on: 07/16/2021**

#### Minor Violations

N/A

#### Measured Observations

N/A

#### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/30/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

#### Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: \_\_\_\_\_

Signed On: July 19, 2021