

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208281 - TRIALS PUB		Site Address 265 N 1ST ST, SAN JOSE, CA 95113		Inspection Date 07/15/2025		Placard Color & Score GREEN 86		
Program PR0304019 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name VANDERMOLLEN, KLAAS		Inspection Time 17:15 - 18:30			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By ROB				FSC Brad Van Der Molen 08/03/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X	X			

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean	X	
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing	X	
K45	Floor, walls, ceilings: built, maintained, clean	X	
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0208281 - TRIALS PUB	Site Address 265 N 1ST ST, SAN JOSE, CA 95113	Inspection Date 07/15/2025
Program PR0304019 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name VANDERMOLEN, KLAAS	Inspection Time 17:15 - 18:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Second Repeat Violation: Water at the three compartment sink measured at a peak of 112°F.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations:

A few rodent droppings were found in the bar area behind the ice machine and near the cabinet.

[CA] Clean and sanitize area of old droppings. A follow up inspection will be conducted to verify compliance.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations:

Repeat Violation: In the kitchen area, the sides of the refrigeration units, cook line equipment and general equipment have an accumulation of grease and grime.

[CA] Nonfood-contact surfaces of equipment shall be kept free of an accumulation of dust, dirt, food residue, and other debris.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Facility has a non ANSI accredited microwave and toaster oven.

[CA] New and/or replacement food equipment shall be certified or classified for sanitation by an American National Standards Institute (ANSI) accredited certification program (e.g. NSF, UL EPH, UL Sanitation, CSA Sanitation, or ETL Sanitation).

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations:

1. The front door was left open.

[CA] Keep front door closed at all times to prevent the entrance and harborage of vermin.

2. There is a hole in the ceiling.

[CA] Repair holes in structure and maintain in good repair to prevent pest harborage.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

Repeat Violation: The floors, walls, and ceilings of the kitchen area have an accumulation of food debris and grime.

[CA] Ensure to maintain the floors, walls, and ceilings of the facility clean to both sight and touch.

OFFICIAL INSPECTION REPORT

Facility FA0208281 - TRIALS PUB	Site Address 265 N 1ST ST, SAN JOSE, CA 95113	Inspection Date 07/15/2025
Program PR0304019 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name VANDERMOLLEN, KLAAS	Inspection Time 17:15 - 18:30

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Rice	Rice Cooker	135.00 Fahrenheit	
Sliced Tomatoes	Prep Cooler	40.00 Fahrenheit	
Keg	Keg Cooler	40.00 Fahrenheit	
Quaternary Ammonia - Sanitizer	Three Compartment Sink - Kitchen & Bar	200.00 PPM	
Mashed Potatoes	Steam Table	140.00 Fahrenheit	
Water	Hand Sinks - All	100.00 Fahrenheit	
Sausages	Upright Cooler	40.00 Fahrenheit	
Water	Three Compartment Sink - Kitchen	112.00 Fahrenheit	

Overall Comments:

Notes:

- A follow up inspection will be conducted to verify compliance with K23.
- Failure to correct repeat violations will result in further enforcement from this department.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **7/29/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Rob
Owner
Signed On: July 15, 2025