

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201299 - GILROY HIGH SCHOOL		Site Address 750 W 10TH ST, GILROY, CA 95020		Inspection Date 03/05/2025		Placard Color & Score GREEN 90		
Program PR0302231 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22			Owner Name GILROY UNIFIED SCHOOL D		Inspection Time 10:45 - 12:00			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By MICHELLE H.				FSC Michelle H. 3/18/28

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X					S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered	X						
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0201299 - GILROY HIGH SCHOOL		Site Address 750 W 10TH ST, GILROY, CA 95020	Inspection Date 03/05/2025
Program PR0302231 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22		Owner Name GILROY UNIFIED SCHOOL DIST	Inspection Time 10:45 - 12:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: High temperature dish washer was measured at 111°F at the time of inspection. Active ware-washing taking place at the time of inspection.

[CA] Mechanical sanitization shall be accomplished in the final sanitizing rinse by achieving a utensil surface temperature of 160°F (or manufacturer's instruction).

[SA] Facility will be using the dish washer to wash equipment and then using the 3-compartment sink to sanitize equipment. All equipment that was used in the dish washer recently must be re-washed.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: 1. Light fixture button for the walk in is damaged at the time of inspection.

[CA] Equipment and utensils shall be designed and constructed to be durable and retain characteristic qualities under normal use conditions.

2. Compressor for the walk in freezer is leaking at the time of inspection.

[CA] Equipment and utensils shall be designed and constructed to be durable and retain characteristic qualities under normal use conditions. Have unit serviced.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Rice	Hot holding (warming box)	152.00 Fahrenheit	
Pizza	Hot holding (warming box) #2	146.00 Fahrenheit	
Hot water	3-Compartment/prep/mop sinks	120.00 Fahrenheit	
Cream cheese	Walk in	39.00 Fahrenheit	
Warm water	Hand wash	100.00 Fahrenheit	
Ambient	Walk in freezer	5.00 Fahrenheit	
Sanitizer (Lactic acid)	3-Compartment sink	1,875.00 PPM	Range 704-1875PPM.
Ranch	Reach in #4	39.00 Fahrenheit	
Sanitizer (Lactic acid)	Sanitizer bucket	1,875.00 PPM	
Ambient	Reach in freezer	5.00 Fahrenheit	
Turkey sandwich	Reach in	39.00 Fahrenheit	
Milk	Reach in #2	39.00 Fahrenheit	
Cheese	Walk in	39.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/19/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0201299 - GILROY HIGH SCHOOL	Site Address 750 W 10TH ST, GILROY, CA 95020	Inspection Date 03/05/2025
Program PR0302231 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name GILROY UNIFIED SCHOOL DIST	Inspection Time 10:45 - 12:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Michelle Hodge

Received By: Michelle H.
Manager
Signed On: March 05, 2025