

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 9		Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110		Inspection Date 12/14/2024		Placard Color & Score GREEN 92			
Program PR0417929 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09			Owner Name SPECTRA FOOD SERVICE		Inspection Time 19:00 - 19:40				
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By LOU ATCHICK				FSC Brian Leone 3/29/2028	

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food					X		
K13	Food in good condition, safe, unadulterated							
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source							
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use	X	
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		X
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 9	Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 12/14/2024
Program PR0417929 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name SPECTRA FOOD SERVICE	Inspection Time 19:00 - 19:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	X

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: The ice scoop for the ice machine was stored inside unclean container.

[CA] All reusable utensils including the ice scoop must be stored on clean surface/container in between use.

K39 - 2 Points - Thermometers missing or inaccurate; 114157, 114159

Inspector Observations: There was not a functional prob thermometer to measure the internal temperature of the cold and hot food products.

[CA] Provide an approved prob type thermometer and use it with a regular calibration and sanitization.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: The mop sink has a stain buildup. It was also blocked by the dunnage rack.

[CA] Keep the janitorial sink clean and easily accessible.

K58 - 2 Points - Placard not properly displayed/posted

Inspector Observations: The placard was removed from the sleeve.

[CA] Do not temper the placard again.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Quaternary ammonia	Three compartment sink	200.00 PPM	
Pizza	Walk-in cooler	39.00 Fahrenheit	
Hot water	Three compartment sink	130.00 Fahrenheit	
Pizza	Final cook	176.00 Fahrenheit	

Overall Comments:

Note: This stand cooks pizza back in the kitchen area. It also serves pretzels and drinks.

2. Food safety manager certificate: Brian Leone - 3/29/2028

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/28/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0276624 - SAN JOSE EARTHQUAKES STADIUM - AREA 9	Site Address 1123 COLEMAN AV, SAN JOSE, CA 95110	Inspection Date 12/14/2024
Program PR0417929 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name SPECTRA FOOD SERVICE	Inspection Time 19:00 - 19:40

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Lou Atchick
Manager

Signed On: December 14, 2024