

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0259816 - GOOGLE - 4400 N FIRST ST - PAUSA CAFE		Site Address 4400 N 1ST ST, SAN JOSE, CA 95134		Inspection Date 08/06/2026		Placard Color & Score GREEN 90		
Program PR0447858 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name GOOGLE LLC		Inspection Time 11:00 - 13:00			
Inspected By HELEN DINH		Inspection Type ROUTINE INSPECTION		Consent By ILIANA, RACHELLE & CLAYTON (C)				FSC Rachelle Periandi 6/12/31

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records	X						
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available		X		X			N
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0259816 - GOOGLE - 4400 N FIRST ST - PAUSA CAFE		Site Address 4400 N 1ST ST, SAN JOSE, CA 95134	Inspection Date 08/06/2026
Program PR0447858 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name GOOGLE LLC	Inspection Time 11:00 - 13:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Measured water temperature holding between 115F - 125F at hand wash station located at front and warewash area. All hand wash station is under sensor system with ONLY one knee peddle. [CA] Provide an adequate, pressurized, potable supply of warm water to be held between 100F - 108F. [COS] Final reading of all sinks were held between 100F - 105F.

Minor Violations

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Found drip tray for blast chiller at cooks line over flowing onto the floor. Observed drip tray full with water. [CA] Ensure to discard of discharge water often.

Performance-Based Inspection Questions

Needs Improvement - Hot and cold water available.

Measured Observations

Item	Location	Measurement	Comments
pasta	blast chiller	41.00 Fahrenheit	
hot water	warewash/2-comp/(2x) 1-comp	120.00 Fahrenheit	
hot water	high temp dish machine	160.00 Fahrenheit	
water	handsink (front) knee peddle sensor	125.00 Fahrenheit	COS-final reading at 103F
diced tomato	2 door upright	38.00 Fahrenheit	
ambient	2 door reach in	41.00 Fahrenheit	
fruits	1 door reach in	40.00 Fahrenheit	
hot water	high temp dish machine	160.00 Fahrenheit	
quat	warewash/sani bucket	200.00 PPM	
cooked beef	walk-in	36.00 Fahrenheit	
cookie dough	1 door reach in freezer	8.80 Fahrenheit	
pasta	4 door under drawer	40.00 Fahrenheit	
chicken	2 door warmer	142.00 Fahrenheit	
cooked vegetable	1 door warmer	140.00 Fahrenheit	
water	handsink (warewash) knee peddle sensor	115.00 Fahrenheit	
warm water	handsink (cooks line) knee peddle sensor	102.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/20/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0259816 - GOOGLE - 4400 N FIRST ST - PAUSA CAFE	Site Address 4400 N 1ST ST, SAN JOSE, CA 95134	Inspection Date 08/06/2026
Program PR0447858 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name GOOGLE LLC	Inspection Time 11:00 - 13:00

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Kevin O'Connor
Campus Executive Chef

Signed On: August 06, 2026