

# County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

Facility FA0266766 - MAX'S OF MANILA		Site Address 1535 LANDESS AV 139, MILPITAS, CA 95035		Inspection Date 03/28/2024	
Program PR0393895 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name RUBYLIN INC		Inspection Time 14:00 - 15:10
Inspected By NHA HUYNH	Inspection Type ROUTINE INSPECTION		Consent By ENELEE	FSC Frederick magsipoc 08/05/2028	

Placard Color & Score
<b>GREEN</b>
<b>85</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						S
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures					X		
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized			X				
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean	X	
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices	X	
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0266766 - MAX'S OF MANILA	Site Address 1535 LANDESS AV 139, MILPITAS, CA 95035	Inspection Date 03/28/2024
Program PR0393895 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name RUBYLIN INC	Inspection Time 14:00 - 15:10
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

**Inspector Observations:**

**Soap dispenser at the handwash sink at the cookline does not dispense properly.**

**[Corrective Action] Ensure soap dispenser is working properly.**

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

**Inspector Observations:**

**Grime accumulation on the inside panels of the ice machine. Grime observed not in contact with ice.**

**[Corrective Action] Routinely clean and sanitize the inside panels of the ice machine.**

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

**Inspector Observations:**

**Hot water was turned off at the handwash sink at the cookline. Observed the hot water to be dripping from the spout when the hot water handle is turned off.**

**[Corrective Action] Ensure hot water is available at the handwash sink. Repair the hot water handle so that hot water can be properly turned off.**

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

**Inspector Observations:**

**Heavy dust accumulation on the fan guard in the restroom.**

**[Corrective Action] Routinely clean.**

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

**Inspector Observations:**

**Metal strainers at the utensil drying rack observed to frayed and in disrepair.**

**[Corrective Action] Ensure utensils are in good condition.**

**[Corrected on Site] Person in charge discarded the metal strainers.**

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

**Inspector Observations:**

**1. Leak at the drain pipe of the handwash sink next to the prep sink.**

**[Corrective Action] Repair to stop the leak.**

**2. Leak at the drain pipe of the left compartment prep sink.**

**[Corrective Action] Repair to stop the leak.**

### Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0266766 - MAX'S OF MANILA	<b>Site Address</b> 1535 LANDESS AV 139, MILPITAS, CA 95035	<b>Inspection Date</b> 03/28/2024
<b>Program</b> PR0393895 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	<b>Owner Name</b> RUBYLIN INC	<b>Inspection Time</b> 14:00 - 15:10

## Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
meat stew, tofu	single door upright cooler - kitchen	42.00 Fahrenheit	
chlorine sanitizer	dishwasher	50.00 PPM	
shrimp, diced tomatoes, meat ball	2 door prep cooler	43.00 Fahrenheit	36-43 degree F
chicken, shrimp	2 door upright cooler	35.00 Fahrenheit	
hot water	handwash sink	111.00 Fahrenheit	
flan	single door prep cooler	42.00 Fahrenheit	
hot water	3 compartment sink	121.00 Fahrenheit	
sweet rice cake	single door upright cooler - service	37.00 Fahrenheit	

## Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/11/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

## Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control




---

**Received By:** Enelee Bhatti  
Assistant Manager

**Signed On:** March 28, 2024