

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0208065 - PHO TAY DO		Site Address 2481 BERRYESSA RD, SAN JOSE, CA 95132		Inspection Date 04/06/2026		Placard Color & Score GREEN 90		
Program PR0302354 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name LINH TRAN		Inspection Time 13:35 - 14:45			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By PHUONG				FSC Lam Tran 01/22/2030

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures			X				
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		X
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0208065 - PHO TAY DO	Site Address 2481 BERRYESSA RD, SAN JOSE, CA 95132	Inspection Date 04/06/2026
Program PR0302354 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name LINH TRAN	Inspection Time 13:35 - 14:45
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations:

Half & half in the single door upright display cooler was measured at 48 degrees Fahrenheit.

[Corrective Action] Maintain Potentially Hazardous Foods at or below 41 degrees Fahrenheit.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations:

1. Chlorine sanitizer concentration in the dishwasher was measured at 0 ppm. No active warewashing at the time of inspection.

[Corrective Action] Maintain chlorine sanitizer concentration at 50 ppm in the dishwasher.

2. Accumulation of mold like substance inside the ice machine near the ice chute.

[Corrective Action] Thoroughly clean and sanitize inside the ice machine.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations:

Damaged rubber seals observed on the doors of the 2 door prep cooler.

[Corrective Action] Repair or replace the rubber seals.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

Damaged epoxy flooring observed by the cookline.

[Corrective Action] Maintain floors in good condition.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
broth	work table	90.00 Fahrenheit	cooling
taro	dessert cooler	38.00 Fahrenheit	
yogurt	2 door undercounter cooler	41.00 Fahrenheit	
chlorine sanitizer	dishwasher	0.00 PPM	
hot water	handwash sink	115.00 Fahrenheit	
meat	single door upright display cooler	42.00 Fahrenheit	
chlorine sanitizer	3 compartment sink	100.00 PPM	
half & half	single door upright display cooler	48.00 Fahrenheit	service
hot water	3 compartment sink	145.00 Fahrenheit	
meat balls, tendon, flank	2 door prep cooler	41.00 Fahrenheit	
pork, shrimp	3 door prep cooler	40.00 Fahrenheit	

Overall Comments:


OFFICIAL INSPECTION REPORT

Facility FA0208065 - PHO TAY DO	Site Address 2481 BERRYESSA RD, SAN JOSE, CA 95132	Inspection Date 04/06/2026
Program PR0302354 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name LINH TRAN	Inspection Time 13:35 - 14:45

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/20/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Phuong Tran
front counter
Signed On: April 06, 2026