

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0213284 - 408 LIQUOR		<b>Site Address</b> 1053 E EL CAMINO REAL, SUNNYVALE, CA 94087		<b>Inspection Date</b> 02/18/2026	
<b>Program</b> PR0300413 - NO FOOD PREP <5,000 SQ FT - FP06			<b>Owner Name</b> CHIRAGKUMAR PATEL		<b>Inspection Time</b> 13:30 - 14:25
<b>Inspected By</b> SUKHREET KAUR	<b>Inspection Type</b> ROUTINE INSPECTION	<b>Consent By</b> CHIRAG PATEL	<b>FSC Exempt</b>		

<b>Placard Color &amp; Score</b>
<b>GREEN</b>
<b>96</b>

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification						X	
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods						X	
K10 Proper cooking time & temperatures						X	
K11 Proper reheating procedures for hot holding						X	
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected	X	
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

# OFFICIAL INSPECTION REPORT

Facility FA0213284 - 408 LIQUOR	Site Address 1053 E EL CAMINO REAL, SUNNYVALE, CA 94087	Inspection Date 02/18/2026
Program PR0300413 - NO FOOD PREP <5,000 SQ FT - FP06	Owner Name CHIRAGKUMAR PATEL	Inspection Time 13:30 - 14:25
K48 Plan review		
K49 Permits available		
K58 Placard properly displayed/posted	X	

## Comments and Observations

### Major Violations

No major violations were observed during this inspection.

### Minor Violations

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

**Inspector Observations: Observed some food items stored on the floor under shelves.**

**[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.**

K58 - 2 Points - Placard not properly displayed/posted

**Inspector Observations: Placard is missing.**

**[CA] The placard shall be posted and clearly visible to the general public and patrons entering the food establishment.**

### Performance-Based Inspection Questions

N/A

### Measured Observations

Item	Location	Measurement	Comments
Milk	Display refrigerator	37.00 Fahrenheit	
Ambient	Walk in cooler	41.00 Fahrenheit	
Hot water	Three compartment sink	120.00 Fahrenheit	
Water	Restroom hand wash sink	100.00 Fahrenheit	
Hot pocket	Display freezer	23.00 Fahrenheit	

### Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/4/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

### Legend:

- [CA]** Corrective Action
- [COS]** Corrected on Site
- [N]** Needs Improvement
- [NA]** Not Applicable
- [NO]** Not Observed
- [PBI]** Performance-based Inspection
- [PHF]** Potentially Hazardous Food
- [PIC]** Person in Charge
- [PPM]** Part per Million
- [S]** Satisfactory
- [SA]** Suitable Alternative
- [TPHC]** Time as a Public Health Control



**Received By:** CHIRAG PATEL  
OWNER

**Signed On:** February 18, 2026