

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0203857 - BIRYANIZ		Site Address 246 CASTRO ST, MOUNTAIN VIEW, CA 94041	Inspection Date 02/24/2021
Program PR0302778 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name APNA BAZAAR INC	Inspection Time 11:00 - 11:20
Inspected By JENNIFER RIOS	Inspection Type FOLLOW-UP INSPECTION	Consent By STANLEY	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 02/23/2021

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 02/24/2021

Cited On: 02/23/2021

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 02/24/2021

Minor Violations

N/A

Measured Observations

Item	Location	Measurement	Comments
Raw chicken	Walk in fridge	39.00 Fahrenheit	
Ambeint air	Walk in fridge	39.00 Fahrenheit	
Chlorine	Walk in fridge	50.00 PPM	

Overall Comments:

Observed several dead cockroaches on the floor throughout the facility. Continue to clean and ensure that all dead cockroaches and any rodent droppings are cleaned up and the areas they are found are sanitized using 100ppm bleach solution.

Report written off site and emailed to PIC.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/10/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: No signature due to COVID-19.

Signed On: February 25, 2021