

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0260499 - WINGSTOP RESTAURANT #326		Site Address 503 COLEMAN AV 40, SAN JOSE, CA 95110		Inspection Date 08/03/2022	
Program PR0381831 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name DEMAYO RESTAURANT GRC		Inspection Time 14:40 - 16:20
Inspected By TRAVIS KETCHU	Inspection Type ROUTINE INSPECTION	Consent By MAYRA GAYTAN	FSC Mayra Gaytan 10/16/2022		

Placard Color & Score
GREEN
90

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						S
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						S
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures			X				
K08 Time as a public health control; procedures & records	X						
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food	X						
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						S
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed			X				
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips	X	
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0260499 - WINGSTOP RESTAURANT #326	Site Address 503 COLEMAN AV 40, SAN JOSE, CA 95110	Inspection Date 08/03/2022
Program PR0381831 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name DEMAYO RESTAURANT GROUP, INC	Inspection Time 14:40 - 16:20
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K07 - 3 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured partially cooked french fries at 48 F within a pan on top of an ice bath at the cook line.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] French fries were cooked at the time of inspection.

K22 - 3 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations: Observed the floor drain in front of the walk in refrigerator to be slow draining (observed floor sinks to be free flowing). [CA] Clear floor drains so that they are free flowing.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: Facility lacks sink stoppers for manual warewashing within the three compartment sink.

[CA] Plugs/stoppers shall be available to fill up the warewashing sink.

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Observed the doors to be misaligned at the two door reach in freezer at the cook line.

[CA] Realign freezer doors so that they fully close.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
raw chicken	1 door upright fridge	40.00 Fahrenheit	
chicken wings	reach in freezer	10.00 Fahrenheit	
chicken strip	fryer	200.00 Fahrenheit	final cook temp
quat sanitizer	sanitizer bucket	200.00 PPM	
french fries	cook line ice bath	48.00 Fahrenheit	
chicken wings	upright freezer	5.00 Fahrenheit	
hot water	3 comp sink	120.00 Fahrenheit	
warm water	hand wash sink	100.00 Fahrenheit	
cooked french fries	walk in fridge	41.00 Fahrenheit	
ranch	open top prep fridge	39.00 Fahrenheit	

Overall Comments:


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/17/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0260499 - WINGSTOP RESTAURANT #326	Site Address 503 COLEMAN AV 40, SAN JOSE, CA 95110	Inspection Date 08/03/2022
Program PR0381831 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name DEMAYO RESTAURANT GROUP, INC	Inspection Time 14:40 - 16:20

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Mayra Gaytan
pic

Signed On: August 03, 2022