

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0299663 - NEM NUONG NHA TRANG & COFFEE		Site Address 919 STORY RD 1100, SAN JOSE, CA 95122		Inspection Date 06/11/2025	
Program PR0439756 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name HONG TRAN		Inspection Time 13:30 - 15:00
Inspected By HENRY LUU	Inspection Type ROUTINE INSPECTION	Consent By HONG T.	FSC Not Available		

Placard Color & Score

RED
84

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification			X				N
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly					X		
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						N
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods			X				N
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available		X					N
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0299663 - NEM NUONG NHA TRANG & COFFEE		Site Address 919 STORY RD 1100, SAN JOSE, CA 95122	Inspection Date 06/11/2025
Program PR0439756 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name HONG TRAN	Inspection Time 13:30 - 15:00
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water at all sinks measured at 71F.

Follow-up By
06/13/2025

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

Handwashing facilities shall be equipped to provide minimum 100°F water under pressure for a minimum of 15 seconds.

Ensure hot water heater is operable and maintained in good repair at all times.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: Five-year Food Safety Certified (FSC) manager certificate unavailable for review. [CA] Food facilities that prepare, handle, or serve non-prepackaged potentially hazard foods shall have a valid Food Safety Certificate available for review at all times.

Employees' three-year food handler cards unavailable for review.

[CA] Each food handler shall maintain a valid food handler card for the duration of his or her employment as food handler. A valid food handler card shall be provided within 30 days of after the date of hire.

K09 - 3 Points - Improper cooling methods; 114002, 114002.1

Inspector Observations: Two plastic containers of sauce cooling inside the two-door reach-in refrigerator measured at 80F. Owner stated that the sauce was prepared less than 2 hours prior and was left in ambient temperature to cool prior to placing inside the refrigerator.

[CA] Potentially Hazardous Foods (PHFs) shall be cooled rapidly from 135°F to 70°F or below within 2 hours and from 70°F to 41°F or below within an additional 4 hours. Properly cool PHF's using shallow containers, using no more than 2 inches for solid foods and no more than 3 inches for liquids. When cooling PHF's, food may be left uncovered or loosely covered to allow rapid cooling.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations: Unused one-door upright freezer and two-door upright refrigerator maintained inside facility.

[CA] The premises of a food facility shall be free of litter and items that are unnecessary to the operation or maintenance of the facility, such as equipment that is nonfunctional or no longer used.

**** Prior to using, ensure refrigeration units are able to maintain PHF at 41F or below.**

Performance-Based Inspection Questions

Needs Improvement - Demonstration of knowledge; food manager certification.

Needs Improvement - Hot and cold water available.

Needs Improvement - Proper cooling methods.

Needs Improvement - Proper hot and cold holding temperatures.

OFFICIAL INSPECTION REPORT

Facility FA0299663 - NEM NUONG NHA TRANG & COFFEE	Site Address 919 STORY RD 1100, SAN JOSE, CA 95122	Inspection Date 06/11/2025
Program PR0439756 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name HONG TRAN	Inspection Time 13:30 - 15:00

Measured Observations

Item	Location	Measurement	Comments
Ambient	Three-door reach-in refrigerator	40.00 Fahrenheit	
Ambient	Two-door reach-in refrigerator	41.00 Fahrenheit	
Ambient	Beverage refrigerator	38.00 Fahrenheit	
Grilled fermented pork	Two-door reach-in refrigerator	65.00 Fahrenheit	Owner stated that the pork was cut and placed inside the refrigerator approximately one hour prior

Overall Comments:

- Facility is hereby closed due to lack of hot water.
- Facility is to immediately cease and desist all operations.
 - Facility is prohibited from all food service activities which include, but not limited to: preparation, service, handling, distribution, and sale.
 - Facility shall remain closed until hot water at minimum 120F is provided at all critical sinks, and authorization is provided by this Division.
- Subsequent follow-up inspection after first follow-up shall be billed \$298/hour, minimum one hour, during normal business hours (Monday - Friday, 7:30 AM to 4:30 PM), and \$645/hour, minimum two hours, during non-business hours, and upon inspector availability.
- The posted placard is property of the Santa Clara County Department of Environmental Health and shall not be removed, covered-up, relocated, tampered, or copied. Failure to comply may result in enforcement actions per County Ordinance Code Section B11-55.
- A facility found to be in continued operation without a permit may incur a penalty of three (3) times the operating permit fee, and fee(s) for re-inspection(s) charged at the current hourly rate approved by the Santa Clara County Board of Supervisors. Penalties and fees incurred due to enforcement activities must be paid in full prior to the issuance of an operating permit.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/25/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Jack L.
Employee
Signed On: June 11, 2025