

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0202720 - NEW KING EGGROLLS		Site Address 442 W CALAVERAS BL, MILPITAS, CA 95035		Inspection Date 12/09/2022	
Program PR0301127 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name NEW KING EGGROLLS		Inspection Time 07:50 - 08:50
Inspected By MANDEEP JHAJJ		Inspection Type FOLLOW-UP INSPECTION		Consent By TINH NGUYEN	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 11/30/2022
 K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000
Compliance of this violation has been verified on: 12/06/2022

Cited On: 11/30/2022
 K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5
Compliance of this violation has been verified on: 12/09/2022

Cited On: 12/06/2022
 K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5
Compliance of this violation has been verified on: 12/09/2022

Minor Violations

Cited On: 12/09/2022
 K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Observed 3-5 dead cockroaches in the floor drain in the cook line area. [CA] Clean the drains. Remove dead cockroaches and clean the area affected by dead cockroaches.

Measured Observations

N/A

Overall Comments:

Facility is okay to operate. No live cockroach activity observed today during inspection. Pest control report from terminix dated 12/8/22 around 6 pm available to review.

As per owner, all the gaps in the structure is sealed. Pest company is scheduled for every 2 weeks now.

Continue cleaning the floor drains, underneath cook line to prevent grease and food debris build up.

Today is additional follow up inspection and it will be charged at \$219/hr. Invoice will be mailed to mailing address on file.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/23/2022**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0202720 - NEW KING EGGROLLS	Site Address 442 W CALAVERAS BL, MILPITAS, CA 95035	Inspection Date 12/09/2022
Program PR0301127 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name NEW KING EGGROLLS	Inspection Time 07:50 - 08:50

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: TINH NGUYEN
owner

Signed On: December 09, 2022