

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0261774 - BAREFOOT COFFEE		Site Address 1819 S BASCOM AV, CAMPBELL, CA 95008		Inspection Date 07/24/2025		Placard Color & Score GREEN 88		
Program PR0383912 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name WAYA COFFEE LLC		Inspection Time 12:20 - 13:30			
Inspected By PRINCESS LAGANA		Inspection Type ROUTINE INSPECTION		Consent By DAWSON				FSC Jonathan Dolin 01/11/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized		X					N
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips	X	
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0261774 - BAREFOOT COFFEE		Site Address 1819 S BASCOM AV, CAMPBELL, CA 95008	Inspection Date 07/24/2025
Program PR0383912 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name WAYA COFFEE LLC	Inspection Time 12:20 - 13:30
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: 1. *REPEAT VIOLATION* *MAJOR*

Dish machine was dispensing 0 ppm of Chlorine. Active ware-washing observed.

[CA]: Mechanical dish machine shall be able to dispense 50 ppm of Chlorine sanitizer at all times. Discontinue use of unit until it is able to properly dispense 50 ppm of Chlorine. Assess/repair unit as needed.

[SA]: Facility has a 3 comp sink and Chlorine sanitizer. Manager set up sanitizer compartment with 100 ppm of Chlorine sanitizer during inspection. Discussed with PIC manual sanitization shall be accomplished in the final sanitizing rinse by contacting a chlorine solution of 100 PPM concentration for at least 30 seconds.

2. *MINOR*

Accumulation of dark colored grime on the interior surface of ice machine. No direct contamination observed.

[CA]: Properly clean and sanitize the interior of ice machine. Food contact surface equipment shall be maintained clean at all times. Ensure ice is protected at all times during cleaning.

Minor Violations

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Open bags of food (bags of sugar) stored at dry storage rack.

[CA]: All open bags of dry food shall be transferred or stored in food grade containers and covered with a fitted lid.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: 1. *REPEAT VIOLATION*

No testing method for Chlorine sanitizer was provided.

[CA]: Provide a testing method for measuring Chlorine sanitizer solution (ie Chlorine test strips).

2. No plug/stopper available at 3 comp sink.

[CA]: Plug/stopper shall be available for use at 3 comp sink.

[COS]: PIC purchased plug/stopper during inspection.

Performance-Based Inspection Questions

Needs Improvement - Food contact surfaces clean, sanitized.

Measured Observations

Item	Location	Measurement	Comments
milk	2 door reach in	38.00 Fahrenheit	
liquid egg	2 door under counter cooler	38.00 Fahrenheit	
cut tomatoes	prep line cooler	41.00 Fahrenheit	
raw bacon	2 door under counter cooler	39.00 Fahrenheit	
heavy whipping cream	1 door reachin	40.00 Fahrenheit	
water	prep sink	126.00 Fahrenheit	
water	hand sink at back prep area	100.00 Fahrenheit	
smoked salmon	prep line cooler	41.00 Fahrenheit	
water	3 comp sink	120.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0261774 - BAREFOOT COFFEE	Site Address 1819 S BASCOM AV, CAMPBELL, CA 95008	Inspection Date 07/24/2025
Program PR0383912 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name WAYA COFFEE LLC	Inspection Time 12:20 - 13:30

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/7/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Dawson Delos Reyes
Manager

Signed On: July 24, 2025