

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207298 - AUGUST BOEGER SCHOOL		Site Address 1944 FLINT AV, SAN JOSE, CA 95127		Inspection Date 09/17/2025		Placard Color & Score GREEN 96		
Program PR0300488 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22			Owner Name MT PLEASANT SCHOOL DIS		Inspection Time 11:45 - 12:30			
Inspected By MAMAYE KEBEDE		Inspection Type ROUTINE INSPECTION		Consent By FSC Micaela Garcia 4/24/2030				

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records					X		
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized					X		S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered	X						
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available	X	

OFFICIAL INSPECTION REPORT

Facility FA0207298 - AUGUST BOEGER SCHOOL	Site Address 1944 FLINT AV, SAN JOSE, CA 95127	Inspection Date 09/17/2025
Program PR0300488 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name MT PLEASANT SCHOOL DISTRICT	Inspection Time 11:45 - 12:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: There is a hole on the wall behind one of the two compartment warewash sink.

[CA] Seal the hole immediately.

K47 - 2 Points - Signs not posted; last inspection report not available; 113725.1, 113953.5, 113978, 114381(e)

Inspector Observations: A copy of the most recent inspection report was not found on file.

[CA] Copy of the most recent inspection report must be kept on file and should be given to anyone for review upon request.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Hot water	Two compartment sink	125.00 Fahrenheit	
Pizza	Oven	189.00 Fahrenheit	
Milk	Milk cooler	35.00 Fahrenheit	
Lactic acid	Two compartment sink	300.00 PPM	

Overall Comments:

Note: 1. Food safety manager certificate: Micaela Garcia - 4/24/2030

2. The school gets food products from the Mt. Pleasant School District warehouse. It reheats hot-held, or keep cold the cold-held food products for breakfast, lunch, or after school shifts. Any leftover is discarded after each shift.

3. The kitchen serves lunch to Rising Star School as well.

4. According to the USDA guideline, schools serving lunch through the School Lunch program must have a written HACCP plan in place. Please keep a copy in the cafeteria.

5. The kitchen has three two compartment warewash sinks which all are directly connected to the sewer line. One of the sink is used to wash the dishes while one of the other two double compartment sinks is used for handwashing. It's recommended to install a three compartment warewash sink to wash the dishes and a designated preparation sink to wash produce and fruits which drains into a floor sink.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/1/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0207298 - AUGUST BOEGER SCHOOL	Site Address 1944 FLINT AV, SAN JOSE, CA 95127	Inspection Date 09/17/2025
Program PR0300488 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22	Owner Name MT PLEASANT SCHOOL DISTRICT	Inspection Time 11:45 - 12:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Maria Romo
CNS
Signed On: September 17, 2025