

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0291236 - LUCKY TEA		Site Address 2855 STEVENS CREEK BL 2170, SANTA CLARA, CA	Inspection Date 10/19/2026
Program PR0436530 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09		Owner Name LUCKY TEA 1 LLC	Inspection Time 10:00 - 10:40
Inspected By MADELINE MEZA	Inspection Type FOLLOW-UP INSPECTION	Consent By BEA	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 10/13/2026

K08 - 8 Points - Improperly using time as a public health control procedures & records; 114000

Compliance of this violation has been verified on: 10/19/2026

Cited On: 10/13/2026

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 10/19/2026

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

On-site to conduct a follow-up to the previous routine inspection (dated 10/13/2026).

The following major violations have been verified as in compliance:

K08: Time as a public health control; procedures & records:

- The facility completed a written Time as a Public Health Control (TPHC) procedure form, which was reviewed and approved by the environmental health specialist during the follow-up inspection on 10/19/2026.

K14: Improper sanitization of food contact surfaces:

- Facility has implemented In-use utensils are intermittently stored in a container of water in which the water is maintained at or below 41°F or at or above 135°F and the utensils and container are cleaned at least every 24 hours or at a frequency necessary to preclude accumulation of soil residues.

The facility shall continue to address the remaining violations documented on the routine inspection report. Green placard issued during follow-up inspection.

***Note: The facility shall contact the Department of Environmental Health for review and approval of any proposed additions to its approved TPHC procedures.**

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/2/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0291236 - LUCKY TEA	Site Address 2855 STEVENS CREEK BL 2170, SANTA CLARA, CA 95050	Inspection Date 10/19/2026
Program PR0436530 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name LUCKY TEA 1 LLC	Inspection Time 10:00 - 10:40

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Bea
PIC
Signed On: October 19, 2026