

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207275 - WINDOW CAFE		Site Address 1915 ALUM ROCK AV C, SAN JOSE, CA 95116		Inspection Date 10/31/2025		Placard Color & Score GREEN 86		
Program PR0305384 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name WINDOW H2T INC		Inspection Time 12:00 - 13:10			
Inspected By NHA HUYNH		Inspection Type ROUTINE INSPECTION		Consent By YEN				FSC Phuong Anh Tran 04/15/2026

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						S
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X				
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals			X				

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected	X	
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		X
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		X
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0207275 - WINDOW CAFE	Site Address 1915 ALUM ROCK AV C, SAN JOSE, CA 95116	Inspection Date 10/31/2025
Program PR0305384 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name WINDOW H2T INC	Inspection Time 12:00 - 13:10
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 114125(b), 114141

Inspector Observations:

Observed mold like build up inside the ice machine on the plastic panel and near the ice chute.

[Corrective Action] Thoroughly clean and sanitize inside the ice machine. Create a routine scheduled cleaning for the ice machine.

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations:

Observed flies in the kitchen.

[Corrective Action] Eliminate flies using safe methods.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations:

1. Observed brewing coffee outside by the back door.

[Corrective Action] Food prep shall be conducted inside the facility.

2. A portable stove was observed set up outside by the back door.

[Corrective Action] Discontinue cooking outside.

K43 - 2 Points - Toilet facilities: improperly constructed, supplied, cleaned; 114250, 114250.1, 114276

Inspector Observations:

Lack of self-closing device on both restroom doors.

[Corrective Action] Install self-closing device on the restroom doors.

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations:

Back door observed left open.

[Corrective Action] Keep back door closed to prevent entry of pest. If back door is usually left open, install a screen door or an air curtain.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations:

Heavy black grime build up on the floors under the cooking equipments and refrigeration unit.

[Corrective Action] Thoroughly clean the floors and maintain clean.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
hot water	handwash sink	115.00 Fahrenheit	
shrimp, ham, bean sprouts	2 door prep cooler	41.00 Fahrenheit	
hot water	3 compartment sink	134.00 Fahrenheit	
bean sprouts	2 sliding door upright cooler	37.00 Fahrenheit	

OFFICIAL INSPECTION REPORT

Facility FA0207275 - WINDOW CAFE	Site Address 1915 ALUM ROCK AV C, SAN JOSE, CA 95116	Inspection Date 10/31/2025
Program PR0305384 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name WINDOW H2T INC	Inspection Time 12:00 - 13:10

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/14/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Yen Tran
employee
Signed On: October 31, 2025