

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0251508 - HARKER SCHOOL THE - GYM KITCHEN		Site Address 4300 BUCKNALL RD, SAN JOSE, CA 95130		Inspection Date 10/01/2024		Placard Color & Score <div style="font-size: 2em; font-weight: bold; text-align: center;">GREEN</div> <div style="font-size: 3em; font-weight: bold; text-align: center;">94</div>		
Program PR0365539 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23			Owner Name THE HARKER SCHOOL		Inspection Time 12:00 - 12:40			
Inspected By PRINCESS LAGANA		Inspection Type ROUTINE INSPECTION		Consent By SAMANTHA HIPOL				FSC Samantha Hipol 11/04/2027

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						S
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						S
K08	Time as a public health control; procedures & records	X						S
K09	Proper cooling methods	X						S
K10	Proper cooking time & temperatures					X		S
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered	X						
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained	X	
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0251508 - HARKER SCHOOL THE - GYM KITCHEN	Site Address 4300 BUCKNALL RD, SAN JOSE, CA 95130	Inspection Date 10/01/2024
Program PR0365539 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23	Owner Name THE HARKER SCHOOL	Inspection Time 12:00 - 12:40
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Multiple open bags of dry food observed at dry storage areas.

[CA]: Ensure all open bags of dry food are immediately transferred to food grade containers or stored in food grade containers and covered with a fitted lid.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: *Repeat violation*

Coffee machine waste line is draining into hand sink at cook line area.

[CA]: Liquid waste shall be disposed through the approved plumbing system and shall discharge into the public sewerage or into an approved private sewage disposal system.

K42 - 2 Points - Garbage and refuse improperly disposed; 114244, 114245, 114245.1, 114245.2, 114245.3, 114245.4, 114245.5, 114245.6, 114245.7, 114245.8

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
ranch	ice bath	40.00 Fahrenheit	
water	hand sink	117.00 Fahrenheit	
sandwich with cheese	walk in cooler	41.00 Fahrenheit	
fish	hot box	153.00 Fahrenheit	
milk	service line	38.00 Fahrenheit	
rice	steam table	150.00 Fahrenheit	
mac and cheese	walk in cooler	38.00 Fahrenheit	
fritata	hot box 2	139.00 Fahrenheit	
water	prep sink	126.00 Fahrenheit	
beans	steam table	148.00 Fahrenheit	
watear	2 comp	123.00 Fahrenheit	

Overall Comments:

Lunch period: 11:45 am - 1 PM

Temperature and Time logs observed.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **10/15/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0251508 - HARKER SCHOOL THE - GYM KITCHEN	Site Address 4300 BUCKNALL RD, SAN JOSE, CA 95130	Inspection Date 10/01/2024
Program PR0365539 - SCHOOL FOOD SERVICE RISK CAT 3 - FP23	Owner Name THE HARKER SCHOOL	Inspection Time 12:00 - 12:40

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Samantha Hipol
Manager

Signed On: October 01, 2024