

# County of Santa Clara

## Department of Environmental Health

### Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



## OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0201366 - BAMBOO VILLAGE RESTAURANT		<b>Site Address</b> 8045 WREN AV, GILROY, CA 95020	<b>Inspection Date</b> 07/23/2025
<b>Program</b> PR0302654 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		<b>Owner Name</b> LI, QUING HUANG	<b>Inspection Time</b> 14:45 - 15:30
<b>Inspected By</b> GUILLERMO VAZQUEZ	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> LIQING HUANG	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

### Comments and Observations

#### Major Violations

Cited On: 07/21/2025

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

**Compliance of this violation has been verified on: 07/23/2025**

Cited On: 07/21/2025

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

**Compliance of this violation has been verified on: 07/23/2025**

#### Minor Violations

N/A

#### Measured Observations

Item	Location	Measurement	Comments
hot water	2 compartment sink	130.00 Fahrenheit	
hot water	prep sink	130.00 Fahrenheit	
warm water	hand sink	100.00 Fahrenheit	

#### Overall Comments:

*This is a follow-up inspection for the routine inspection conducted on 7/21/2025.*

*The following closure criteria violations have been corrected:*

**1) Cockroach activity**

*- No cockroach activity observed at the time of inspection*

*Facility has provided the following:*

*- A pest control report from a licensed pest control service stating that "no activity" was observed following treatment*

*- Completed DEH vermin reopening checklist*

**2) Lack of hot water**

*- Water heater is operational. Water temperature in the 2-compartment sink and prep sink measured greater than 120F.*

*Facility may now be reopened.*

*Continue working on all other violations cited on 7/21/2025.*

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/6/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0201366 - BAMBOO VILLAGE RESTAURANT	<b>Site Address</b> 8045 WREN AV, GILROY, CA 95020	<b>Inspection Date</b> 07/23/2025
<b>Program</b> PR0302654 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	<b>Owner Name</b> LI, QUING HUANG	<b>Inspection Time</b> 14:45 - 15:30

**Legend:**

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



**Received By:** Liqing Huang  
owner

**Signed On:** July 23, 2025