

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0252726 - ELYSE RESTAURANT	Site Address 96 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 11/27/2024
Program PR0367909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name ELYSE 2.0, LLC	Inspection Time 11:40 - 12:00
Inspected By ALEXANDER ALFARO	Inspection Type LIMITED INSPECTION	Consent By TIFFANIE

Placard Color & Score RED N/A

Comments and Observations

Major Violations

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations:

Observed an active cockroach infestation throughout the facility. Live and dead cockroaches of all life stages were observed both on and off traps in the prep areas, cooking areas, ware wash areas, and by the solid fuel equipment.

[CA] The premises of each food facility shall be kept free of vermin. A food facility shall not operate when there is a vermin infestation that has resulted in the contamination of food contact surfaces, food packaging, utensils, food equipment, or adulteration of food(s). The food facility shall cease operation of the food facility immediately. The food facility shall remain closed until: there is no longer evidence of a vermin infestation; all contaminated surfaces have been cleaned and sanitized; and contributing factors such as cleaning, repairs, and the elimination of harborages have been resolved. Contact District specialist to schedule follow up inspection. At follow up inspection ensure to have a copy of the pest control service and ensure there are no live or dead cockroaches.

Minor Violations

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations:

The paper towel dispenser was not working at one of the hand wash stations in the kitchen.

[CA] Single-use sanitary towels shall be provided in dispensers; heated-air hand drying device may be substituted for single-use towels.

Performance-Based Inspection Questions

N/A

Measured Observations

N/A

Overall Comments:

Contact inspector at (408) 918 - 2726 to schedule follow up inspection. The first follow up inspection is free of charge. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$298.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30am to 4:30pm or \$645/hour minimum two hour during non business hours, and upon inspector availability.

No Representative of Elyse Restaurant was on site. Physical report was provided on site and report was emailed to jaspersra@yahoo.com

OFFICIAL INSPECTION REPORT

Facility FA0252726 - ELYSE RESTAURANT	Site Address 96 S 1ST ST, SAN JOSE, CA 95113	Inspection Date 11/27/2024
Program PR0367909 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name ELYSE 2.0, LLC	Inspection Time 11:40 - 12:00

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **12/11/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Received By: No Representative of Elyse onsite
Report emailed

Signed On: November 27, 2024