

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0211032 - PIZZA JACK'S #2	Site Address 849 W SAN CARLOS ST, SAN JOSE, CA 95126	Inspection Date 10/25/2019
Program PR0302062 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SINGH, AMRIK & SINGH, KUL	Inspection Time 12:50 - 13:50
Inspected By OBDULIA DUQUE-TURCIOS	Inspection Type FOLLOW-UP INSPECTION	Consent By MICHAEL SINGH

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 10/24/2019

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 10/25/2019

Cited On: 10/24/2019

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

Compliance of this violation has been verified on: 10/25/2019

Cited On: 10/24/2019

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 10/25/2019

Cited On: 10/24/2019

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Compliance of this violation has been verified on: 10/25/2019

Minor Violations

Cited On: 10/24/2019

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Compliance of this violation has been verified on: 10/25/2019

Measured Observations

N/A

Overall Comments:

In the follow-up inspection, violations 23M, 6M, 13M, 14M, 01, 07, 36, 40, and 41 are in compliance.

Violations 33 (rusted walk-in floor), 35 (walk-in refrigerator leaking), and 38 (ventilation hood filters) still not in compliance.

NOTE:

A re-inspection will take place on 11/08/2019 to ensure compliance with walk-in refrigerator working properly and in good repair, and walk-in floor all rust removed or resurface.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/8/2019**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0211032 - PIZZA JACK'S #2	Site Address 849 W SAN CARLOS ST, SAN JOSE, CA 95126	Inspection Date 10/25/2019
Program PR0302062 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name SINGH, AMRIK & SINGH, KULDIP	Inspection Time 12:50 - 13:50

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Michael Singh
Owner

Signed On: October 25, 2019