

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201882 - SAFEWAY-DELI		Site Address 1500 POLLARD RD, LOS GATOS, CA 95030		Inspection Date 10/29/2025	
Program PR0305948 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name SAFEWAY INC		Inspection Time 13:45 - 14:20
Inspected By PRINCESS LAGANA	Inspection Type FOLLOW-UP INSPECTION	Consent By LISA VERAJA			

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 10/27/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 10/29/2025

Minor Violations

Cited On: 10/27/2025

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Compliance of this violation has been verified on: 10/29/2025

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
ambient temp	walk in cooler	41.00 Fahrenheit	
cut tomatoes	walk in cooler	41.00 Fahrenheit	
turkey	walk in cooler	41.00 Fahrenheit	

Overall Comments:

Follow up inspection conducted for routine inspection on 10/29/2025 regarding the following violations:

K07 Proper hot and cold holding temperatures

K35 Equipment, utensils: Approved, in good repair, adequate capacity

Specialist observations:

K07 Proper hot and cold holding temperatures: CORRECTED

K35 Equipment, utensils: Approved, in good repair, adequate capacity: CORRECTED

Specialist recommends setting the thermostat of walk in cooler to be less than 41F to accommodate for constant opening and closing of unit.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **11/12/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0201882 - SAFEWAY-DELI	Site Address 1500 POLLARD RD, LOS GATOS, CA 95030	Inspection Date 10/29/2025
Program PR0305948 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name SAFEWAY INC	Inspection Time 13:45 - 14:20

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Lisa Veraja
Store Director

Signed On: October 29, 2025