

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0214360 - BIRYANI & KABABS		Site Address 897 E EL CAMINO REAL, SUNNYVALE, CA 94087	Inspection Date 03/14/2025
Program PR0303279 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10		Owner Name SAITARA PRIYA LLC	Inspection Time 11:55 - 12:50
Inspected By SUkhREET KAUR	Inspection Type FOLLOW-UP INSPECTION	Consent By JAWAHAR	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 03/11/2025

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Compliance of this violation has been verified on: 03/14/2025

Cited On: 03/11/2025

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 03/14/2025

Minor Violations

Cited On: 03/11/2025

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

This violation found not in compliance on 03/14/2025. See details below.

Cited On: 03/11/2025

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

This violation found not in compliance on 03/14/2025. See details below.

Measured Observations

N/A

Overall Comments:

On site for follow up inspection.

Major violations K06 and K07 are corrected.

Two door glass refrigerator is still not maintaining PHFs at 41F or below.

Per PIC, the technician is scheduled to arrive today.

Ensure PHFs are not stored in the until it is able to maintain PHFs 41F or below.

Provide proof at email sukhreet.kaur@deh.sccgov.org when refrigerator is repaired and maintains PHF at 41F or below.

Food items are removed from the restroom. Observed big pots, buckets still stored on top storage in the restroom.

Remove all these equipment items and store in a proper storage area and not in the restroom.

Discussed cooling with PIC

OFFICIAL INSPECTION REPORT

Facility FA0214360 - BIRYANI & KABABS	Site Address 897 E EL CAMINO REAL, SUNNYVALE, CA 94087	Inspection Date 03/14/2025
Program PR0303279 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name SAITARA PRIYA LLC	Inspection Time 11:55 - 12:50

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/28/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: JAWAHAR
PIC
Signed On: March 14, 2025