

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0230533 - ANNE DARLING ELEMENTARY SCHOOL		Site Address 333 N 33RD ST, SAN JOSE, CA 95133	Inspection Date 03/02/2026
Program PR0330575 - SCHOOL FOOD SERVICE RISK CAT 2 - FP22		Owner Name SAN JOSE UNIFIED SCHOOL	Inspection Time 10:05 - 10:30
Inspected By JENNIFER RIOS	Inspection Type FOLLOW-UP INSPECTION	Consent By ARLENE CHAVIRA	

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

N/A

Minor Violations

Cited On: 03/02/2026

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water measured up to 117F and then dropped down below 100F. Another time, hot water jumped to 113F and then dropped below 100F. [CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at handwash sinks.

[SA] Facility will discontinue any food preparation, only reheated of prepackaged foods are permitted at this time.

Please contact district inspector to schedule a follow up inspection when hot water is repaired.

Subsequent follow up inspections will be charged follow up inspections.

Measured Observations

N/A

Overall Comments:

On site for follow up inspection.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/16/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control

Ar (Ch)

Received By:	Arlene Chavira
	Lead
Signed On:	March 02, 2026