

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0207614 - O'CONNOR HOSPITAL		Site Address 2105 FOREST AV, SAN JOSE, CA 95128		Inspection Date 06/17/2024	
Program PR0300492 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17			Owner Name COUNTY OF SANTA CLARA		Inspection Time 12:10 - 14:00
Inspected By FARHAD AMIR-EBRAHIMI	Inspection Type ROUTINE INSPECTION		Consent By LARRY TAYLOR	FSC Larry Taylor 2/16/2027	

Placard Color & Score
GREEN
86

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification	X						
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly			X				
K06 Adequate handwash facilities supplied, accessible	X						
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods					X		
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized	X						
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered	X						
K21 Hot and cold water available			X				
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected		
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean	X	
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity	X	
K36 Equipment, utensils, linens: Proper storage and use	X	
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use	X	
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0207614 - O'CONNOR HOSPITAL	Site Address 2105 FOREST AV, SAN JOSE, CA 95128	Inspection Date 06/17/2024
Program PR0300492 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name COUNTY OF SANTA CLARA	Inspection Time 12:10 - 14:00
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K05 - 3 Points - Hands not clean/improperly washed/gloves not used properly; 113952, 113953.3, 113953.4, 113961, 113968, 113973 (b-f)

Inspector Observations: Employee washed hands with soap for 5 seconds [CA] All food employees shall thoroughly wash their hands and that portion of their arms exposed to direct food contact with soap and vigorously rub hands together to lather up for at least 10 to 15 seconds. They shall rinse hands with warm water followed by drying with paper towels. – Corrected

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water from 2/3 faucets is 110F. The third one is 142F. [CA] Maintain hot water at 120F or warmer - Maintenance was called to make the correction

Men's room premix faucet water at 76F. The other sink has hot and cold faucet. Hot water at 116F for this sink. [CA] Adjust premix faucet to provide 100F - 108F hot water.

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

Inspector Observations: Underside of shelf at the cook line show food stain buildup [CA] Clean and sanitize the underside of shelf

K35 - 2 Points - Equipment, utensils - Unapproved, unclean, not in good repair, inadequate capacity; 114130, 114130.1, 114130.2, 114130.3, 114130.4, 114130.5, 114132, 114133, 114137, 114139, 114153, 114155, 114163, 114165, 114167, 114169, 114175, 114177, 114180, 114182

Inspector Observations: Cafeteria grill left line cooler door handle is broken [CA] Repair or replace door handle - On order

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

Inspector Observations: Meat slicer guard show food stain buildup [CA] Clean and sanitize the slicer guard

K38 - 2 Points - Inadequate ventilation and lighting in designated area; 114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1

Inspector Observations: One light in the far left walk-in cooler is missing cover [CA] Provide light cover

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Chicken legs	Warmer	154.00 Fahrenheit	
Ice cream	Walk-in freezer	5.00 Fahrenheit	
Soup	Kitchen steam table	167.00 Fahrenheit	
Beans	Salad bar	41.00 Fahrenheit	
Milk	Walk-in cooler	38.00 Fahrenheit	
Water	Dishwasher	160.00 Fahrenheit	
Water	Two left faucets 3-comp sink	110.00 Fahrenheit	
Water	Far left faucet 3-comp sink	142.00 Fahrenheit	
Water	Men's room	76.00 Fahrenheit	

OFFICIAL INSPECTION REPORT

Facility FA0207614 - O'CONNOR HOSPITAL	Site Address 2105 FOREST AV, SAN JOSE, CA 95128	Inspection Date 06/17/2024
Program PR0300492 - FOOD PREP / FOOD SVC OP 26+ EMPLOYEES RC 3 - FP17	Owner Name COUNTY OF SANTA CLARA	Inspection Time 12:10 - 14:00

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 7/1/2024. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Snehal Tambe

Signed On: June 17, 2024