

**County of Santa Clara**  
**Department of Environmental Health**  
**Consumer Protection Division**

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716  
 Phone (408) 918-3400 www.ehinfo.org



**OFFICIAL INSPECTION REPORT**

<b>Facility</b> FA0284599 - KING EGGROLL EXPRESS		<b>Site Address</b> 1600 SARATOGA AV 129, SAN JOSE, CA 95129	<b>Inspection Date</b> 09/14/2023
<b>Program</b> PR0426806 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		<b>Owner Name</b> KING VT INC	<b>Inspection Time</b> 12:00 - 12:45
<b>Inspected By</b> DENNIS LY	<b>Inspection Type</b> FOLLOW-UP INSPECTION	<b>Consent By</b> DESTINY	

<b>Placard Color &amp; Score</b> <b>GREEN</b> <b>N/A</b>
--

**Comments and Observations**

**Major Violations**

Cited On: 09/12/2023

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

**Compliance of this violation has been verified on: 09/14/2023**

Cited On: 09/12/2023

K09 - 8 Points - Improper cooling methods; 114002, 114002.1

**Compliance of this violation has been verified on: 09/14/2023**

Cited On: 09/12/2023

K13 - 8 Points - Food not in good condition/unsafe/adulterated; 113967, 113976, 113980, 113988, 113990, 114035, 114041, 114254(c), 114254.3

**Compliance of this violation has been verified on: 09/14/2023**

Cited On: 09/12/2023

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

**Compliance of this violation has been verified on: 09/14/2023**

**Minor Violations**

N/A

**Measured Observations**

Item	Location	Measurement	Comments
Noodles	Walk-in cooler	41.00 Fahrenheit	
Rice	Walk-in cooler	41.00 Fahrenheit	
Sweet and sour pork	Steam table	181.00 Fahrenheit	
Chlorine sanitizer	Three compartment sink	100.00 PPM	
Pork with vegetables	Steam table	153.00 Fahrenheit	
Rice noodles	Walk-in cooler	41.00 Fahrenheit	

**Overall Comments:**

*Follow-up for routine inspection conducted on 9/12/23.*

*All major violations were observed still in compliance. Three compartment sink was properly set-up to wash, rinse, and sanitize with sanitizer concentration measured at 100 ppm of chlorine; No adulteration of food was observed; Potentially hazardous foods that was placed in the walk-in cooler to cool overnight was measured at the proper temperature; Potentially hazardous foods was measured at the properly cold and hot holding temperatures.*

*Discussed with operator about monitor temperature of the walk-in cooler.*

# OFFICIAL INSPECTION REPORT

<b>Facility</b> FA0284599 - KING EGGROLL EXPRESS	<b>Site Address</b> 1600 SARATOGA AV 129, SAN JOSE, CA 95129	<b>Inspection Date</b> 09/14/2023
<b>Program</b> PR0426806 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	<b>Owner Name</b> KING VT INC	<b>Inspection Time</b> 12:00 - 12:45

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **9/28/2023**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

## Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



---

**Received By:** Destiny  
PIC

**Signed On:** September 14, 2023