County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility		Site Address					ion Date		Placard (Color & Sco	ore
FA0213895 - TRUYA SUSHI Program		415 N MARY AV 104, SUNNYVALE, CA 94085 Owner Name				12/07/2022 Inspection Time			GREEN		
PR0306225 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11 TRUYA SUSHI SV			USHI SV INC	C 16:00 - 17:15							
Inspected By DAVID LEE	nspected By Inspection Type Consent By ROUTINE INSPECTION SCOTT						94				
RISK FACTORS AND IN	TERVENTIONS				IN	O Major	UT Minor	COS/SA	N/O	N/A	PBI
K01 Demonstration of knowle	• •						Х				
K02 Communicable disease; reporting/restriction/exclusion				Х						S	
K03 No discharge from eyes, nose, mouth				Х							
K04 Proper eating, tasting, drinking, tobacco use				Х							
K05 Hands clean, properly washed; gloves used properly				Х						S	
-	K06 Adequate handwash facilities supplied, accessible						Х				
	K07 Proper hot and cold holding temperatures								Х		S
	K08 Time as a public health control; procedures & records						X				
κο9 Proper cooling methods									Х		
κ10 Proper cooking time & ter	-								X		
K11 Proper reheating procedures for hot holding									Х		
	K12 Returned and reservice of food								Х		
κ13 Food in good condition, s					X						
K14 Food contact surfaces cle					X						
K15 Food obtained from appro					Х						
K16 Compliance with shell sto										X	
κ17 Compliance with Gulf Oy	-									X	
K18 Compliance with variance					_					X	
	κ19 Consumer advisory for raw or undercooked foods									X	
	lities/schools: prohibited foods not	being offered			X		_			Х	
K21 Hot and cold water availa					X						
K22 Sewage and wastewater					X						
	X										
	GOOD RETAIL PRACTICES								OUT	COS	
K24 Person in charge present	-										
	K25 Proper personal cleanliness and hair restraints										
K26 Approved thawing methods used; frozen food											
K27 Food separated and protected											
K28 Fruits and vegetables washed K29 Toxic substances properly identified, stored, used											
	-										
	K30 Food storage: food storage containers identified K31 Consumer self service does prevent contamination										
K31 Consumer sense vice does prevent contamination K32 Food properly labeled and honestly presented											
K33 Nonfood contact surfaces clean											
K34 Warewash facilities: installed/maintained; test strips											
K35 Equipment, utensils: Approved, in good repair, adequate capacity											
K36 Equipment, utensils, linens: Proper storage and use											
K37 Vending machines											
K38 Adequate ventilation/lighting; designated areas, use											
K39 Thermometers provided, accurate											
K40 Wiping cloths: properly used, stored											
K41 Plumbing approved, installed, in good repair; proper backflow devices											
K42 Garbage & refuse properly disposed; facilities maintained											
K43 Toilet facilities: properly constructed, supplied, cleaned											
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing											
K45 Floor, walls, ceilings: buil											
K46 No unapproved private he											
K47 Signs posted; last inspection report available											

OFFICIAL INSPECTION REPORT

Facility FA0213895 - TRUYA SUSHI	Site Address 415 N MARY AV 104, SUNNYVALE, CA 94085		Inspection Date 12/07/2022		
Program PR0306225 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3	3 - FP11 Owner Name TRUYA SUSHI SV INC		Inspection Time 16:00 - 17:15		
K48 Plan review					
K49 Permits available					
K58 Placard properly displayed/posted					

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations: no manager's food safety certificate

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations: empty paper towel dispenser to handsink [CA]refill empty dispensers

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

N/A

Overall Comments:

not in operation at this inspection. operator stated that he plans to re-open in january

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than <u>12/21/2022</u>. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

Corrective Action	
Corrected on Site	
Needs Improvement	
Not Applicable	
Not Observed	
Performance-based Inspection	
Potentially Hazardous Food	
Person in Charge	
Part per Million	
Satisfactory	
Suitable Alternative	
Time as a Public Health Control	

Received By:

Signed On:

December 07, 2022