

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206163 - ZANOTTO'S WILLOW GLEN-DELI		Site Address 1421 FOXWORTHY AV, SAN JOSE, CA 95118		Inspection Date 01/26/2026		Placard Color & Score GREEN 96		
Program PR0304664 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name ZANOTTO'S WILLOW GLEN		Inspection Time 11:15 - 12:30			
Inspected By ANABELLE GARCIA		Inspection Type ROUTINE INSPECTION		Consent By HECTOR LEIJA				FSC Angel Guzman Conde 01/30/2030

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						
K07	Proper hot and cold holding temperatures	X						N
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures					X		
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices	X	
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0206163 - ZANOTTO'S WILLOW GLEN-DELI	Site Address 1421 FOXWORTHY AV, SAN JOSE, CA 95118	Inspection Date 01/26/2026
Program PR0304664 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name ZANOTTO'S WILLOW GLEN	Inspection Time 11:15 - 12:30
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Multiple food cases stored on floors of walk in cooler and walk in freezer.

[CA] Food shall be stored at least 6 inches above the floor to prevent contamination.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: 1) Leak observed at waste pipe of hand washing sink (next to the 2 comp prep sink).

[CA] Repair plumbing fixture and maintain in clean and good repair.

2) Drain line of 2 comp prep sink extends into the floor sink.

[CA] All equipment that discharges liquid waste shall be drained by means of indirect waste pipes, and all wastes drained by them shall discharge through an air gap into a floor sink or other approved type of receptor.

Air gaps at water supply inlets must be at least twice the diameter of the inlet and no less than 1 inch.

Performance-Based Inspection Questions

Needs Improvement - Proper hot and cold holding temperatures.

Measured Observations

Item	Location	Measurement	Comments
water	janitorial sink	120.00 Fahrenheit	
meat loaf	display case 1	39.00 Fahrenheit	
water	3 comp sinks, 2 comp prep sink	120.00 Fahrenheit	
raw beef	walk in freezer	13.00 Fahrenheit	IR
yogurt parfait	grab and go cooler	40.00 Fahrenheit	IR
meatball soup	hot holding	155.00 Fahrenheit	
water	hand wash sinks	100.00 Fahrenheit	
sliced deli turkey	display case 3	38.00 Fahrenheit	
tri tip sandwich	display case 4	40.00 Fahrenheit	
boiled eggs	salad bar	41.00 Fahrenheit	
quaternary ammonium	3 comp sink, sanitizer bucket	200.00 PPM	
baked potato	walk in cooler	37.00 Fahrenheit	
water	restroom hand wash sinks	100.00 Fahrenheit	
chicken salad	display case 2	40.00 Fahrenheit	
ambient	walk in cooler	35.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/9/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0206163 - ZANOTTO'S WILLOW GLEN-DELI	Site Address 1421 FOXWORTHY AV, SAN JOSE, CA 95118	Inspection Date 01/26/2026
Program PR0304664 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name ZANOTTO'S WILLOW GLEN	Inspection Time 11:15 - 12:30

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Hector Leija
store director

Signed On: January 26, 2026