

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0253944 - TEA VILLA	Site Address 1679 N MILPITAS BL, MILPITAS, CA 95035	Inspection Date 01/09/2020
Program PR0370020 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name HA, LAM	Inspection Time 11:25 - 12:25
Inspected By FRANK LEONG	Inspection Type FOLLOW-UP INSPECTION	Consent By LAM HA

Placard Color & Score

GREEN
N/A

Comments and Observations

Major Violations

Cited On: 01/06/2020

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

This violation found not in compliance on 01/09/2020. See details below.

Cited On: 01/06/2020

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 01/07/2020

Cited On: 01/06/2020

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 01/09/2020. See details below.

Minor Violations

Cited On: 01/06/2020

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

This violation found not in compliance on 01/09/2020. See details below.

Measured Observations

N/A

Overall Comments:

Follow-up inspection for closure due to cockroach activity.

THE FOLLOWING VIOLATION HAS BEEN CORRECTED:

K23M - COCKROACH ACTIVITY

- Observed pest control provided service on 01/09/2020.
- Continue to clean and sanitize all areas with cockroach activity.
- Seal all cracks and crevices to prevent continued harborage of vermin. Seal cracks and crevices on bracket for 3 compartment sink, around ceiling areas, and at the hood.

THE FOLLOWING VIOLATION HAS NOT BEEN CORRECTED:

K45 - INADEQUATE CLEANING OF FLOORS, WALLS, & CEILINGS

- Observed majority of food debris at the cookline has been cleaned and removed. Observed slight leftover accumulation of grease behind the cookline.
- Continue to clean and maintain areas to prevent harborage of vermin.
- Operator stated that cleaning service to provide deep cleaning for black accumulation on floors in the facility in the next week.
- Remove unapproved equipment such as makeshift shelving to allow accessibility for cleaning and to removed.

INSPECTION WILL BE CHARGED \$219.00.

OFFICIAL INSPECTION REPORT

Facility FA0253944 - TEA VILLA	Site Address 1679 N MILPITAS BL, MILPITAS, CA 95035	Inspection Date 01/09/2020
Program PR0370020 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name HA, LAM	Inspection Time 11:25 - 12:25

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **1/23/2020**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: LAM HA
OWNER

Signed On: January 09, 2020