

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0257304 - CHIPOTLE MEXICAN GRILL #2137		Site Address 6955 CAMINO ARROYO 70, GILROY, CA 95020		Inspection Date 05/15/2024		Placard Color & Score <div style="font-size: 2em; font-weight: bold; text-align: center;">GREEN</div> <div style="font-size: 3em; font-weight: bold; text-align: center;">93</div>		
Program PR0376170 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name CHIPOTLE MEXICAN GRILL,		Inspection Time 16:40 - 17:45			
Inspected By GUILLERMO VAZQUEZ		Inspection Type ROUTINE INSPECTION		Consent By JOSE ZAMUDIO				FSC Jose Zamudio 6/15/28

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						S
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods					X		
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding					X		
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						S
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available			X				
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified	X	
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		X
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0257304 - CHIPOTLE MEXICAN GRILL #2137		Site Address 6955 CAMINO ARROYO 70, GILROY, CA 95020	Inspection Date 05/15/2024
Program PR0376170 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13		Owner Name CHIPOTLE MEXICAN GRILL, INC	Inspection Time 16:40 - 17:45
K48	Plan review		
K49	Permits available		
K58	Placard properly displayed/posted		

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K21 - 3 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: Hot water within the 3-compartment sink was measured at 113°F at the time of inspection. PIC has created a ticket to have issue resolved by contractor.

[CA] Hot water shall be supplied at a minimum temperature of at least 120°F measured from the faucet throughout facility except at hand wash sinks (100°F).

K30 - 2 Points - Food storage containers are not identified; 114047, 114049, 114051, 114053, 114055, 114067(h), 114069 (b)

Inspector Observations: Bulk containers under the prep sink are missing labels.

[CA] Working containers holding food or food ingredients that are removed from their original packages shall be identified with the common name of the food if not easily recognizable.

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

Inspector Observations: Floors within the food prep area have a heavy debris build up of food and plastic gloves.

[CA] Regularly clean floors to prevent accumulation of debris.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
Chicken al pastor	Hot holding (steam table)	178.00 Fahrenheit	
Pico de gallo	Walk in	38.00 Fahrenheit	
Cooked chicken	Cook line	202.00 Fahrenheit	Final cook temperature.
Corn	Prep table	39.00 Fahrenheit	
Hot water	Prep sink	120.00 Fahrenheit	
Chicken	Walk in	39.00 Fahrenheit	
Rice	Warmer	164.00 Fahrenheit	
Pico de gallo	Prep table station #2	39.00 Fahrenheit	
Warm water	Restroom	100.00 Fahrenheit	
Warm water	Hand wash	100.00 Fahrenheit	
Sanitizer (Quats)	Sanitizer bucket	200.00 PPM	
Sour cream	Prep table station #2	38.00 Fahrenheit	
Cheese	Prep table	39.00 Fahrenheit	
Cooked steak	Hot holding (Under counter warming oven)	152.00 Fahrenheit	
Sanitizer (Chlorine)	Dish washer	100.00 PPM	
Hot water	3-compartment	113.00 Fahrenheit	Adjust to 120°F. SA
Cooked chicken	Hot holding (steam table station #2)	168.00 Fahrenheit	
Cooked steak	Hot holding (steam table station #2)	179.00 Fahrenheit	

Overall Comments:

OFFICIAL INSPECTION REPORT

Facility FA0257304 - CHIPOTLE MEXICAN GRILL #2137	Site Address 6955 CAMINO ARROYO 70, GILROY, CA 95020	Inspection Date 05/15/2024
Program PR0376170 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name CHIPOTLE MEXICAN GRILL, INC	Inspection Time 16:40 - 17:45

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **5/29/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Jose Zamudio
Manager

Signed On: May 15, 2024