

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0209910 - PHO BOWL	Site Address 5316 MONTEREY HY, SAN JOSE, CA 95111	Inspection Date 02/17/2021
Program PR0302686 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name BLUE PEPPER INC.	Inspection Time 10:30 - 11:30
Inspected By MARCELA MASRI	Inspection Type FOLLOW-UP INSPECTION	Consent By TRAN

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 02/11/2021

K22 - 8 Points - Sewage and wastewater improperly disposed; 114197

Compliance of this violation has been verified on: 02/17/2021

Minor Violations

N/A

Measured Observations

N/A

Overall Comments:

FOLLOW UP INSPECTION FROM 2/11/21 IN WHICH THE FLOOR SINK WAS NOT DRAINING PROPERLY.

FINDINGS: THE FLOOR SINK IS NOW DRAINING PROPERLY. OK TO USE.

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **3/3/2021**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By:

Signed On: February 17, 2021