

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0201953 - LOU'S COFFEE SHOP		Site Address 15691 LOS GATOS BL, LOS GATOS, CA 95032	Inspection Date 03/06/2023
Program PR0301017 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11		Owner Name TSABOUKOS, ANGELIKI	Inspection Time 11:40 - 12:25
Inspected By MARCELA MASRI	Inspection Type FOLLOW-UP INSPECTION	Consent By SPIRO	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

Cited On: 03/06/2023

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations: FOUND THE HOT WATER AT THE 2 COMPARTMENT SINK AND HAND WASH SINK AT 96F [CA] PROVIDE HOT WATER AT THE WARE WASH SINK AT 120F MINIMUM AND 100F AT THE HAND WASH SINK.

Minor Violations

N/A

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
HOT WATER	HAND WASH SINK	100.00 Fahrenheit	
HOT WATER	2 COMPARTMENT SINK	120.00 Fahrenheit	

Overall Comments:

FOLLOW UP INSPECTION FROM EARLIER TODAY IN WHICH THE FACILITY HAD HOT WATER AT 96F AT THE 2 COMPARTMENT SINK AND AT THE HAND WASH SINKS.

FINDINGS: THE FACILITY WAS ABLE TO WORK ON THE WATER HEATER AND IT NOW THE HOT WATER IS AT 120F.

OK TO RE-OPEN.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 3/20/2023. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control

Received By: SPIRO
 OWNER
Signed On: March 06, 2023