

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0205263 - CLUB CARIBE		Site Address 1001 S 1ST ST, SAN JOSE, CA 95110	Inspection Date 08/07/2025
Program PR0303109 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09		Owner Name LA CUMBRE ENT INC	Inspection Time 12:10 - 13:15
Inspected By ANABELLE GARCIA	Inspection Type FOLLOW-UP INSPECTION	Consent By SOANY GUERRA	

Placard Color & Score GREEN N/A
--

Comments and Observations

Major Violations

Cited On: 08/04/2025

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 08/07/2025. See details below.

Minor Violations

Cited On: 08/04/2025

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

This violation found not in compliance on 08/07/2025. See details below.

Cited On: 08/04/2025

K36 - 2 Points - Equipment, utensils, linens: Improper storage and use; 114074, 114081, 114119, 114121, 114161, 114178, 114179, 114083, 114185, 114185.2, 114185.3, 114185.4, 114185.5

This violation found not in compliance on 08/07/2025. See details below.

Cited On: 08/04/2025

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

This violation found not in compliance on 08/07/2025. See details below.

Cited On: 08/04/2025

K45 - 2 Points - Floor, walls, ceilings: not built, not maintained, not clean; 114143(d), 114266, 114268, 114268.1, 114271, 114272

This violation found not in compliance on 08/07/2025. See details below.

Measured Observations

Item	Location	Measurement	Comments
water	3 comp sink	120.00 Fahrenheit	
water	handwash sink	100.00 Fahrenheit	

Overall Comments:

Follow-up inspection to the routine inspection conducted on 8/4/25. Facility was closed due to an active cockroach infestation.

Observations:

- No evidence of a vermin infestation observed in facility
- Hole in back room has been sealed
- Mold at middle bar, in 3 composition sink, has been cleaned/sanitized
- CO2 tanks have been fastened with chains
- Leak at middle bar, 3 composition sink, has been repaired

Checklist for reopening and pest control reports were submitted on 8/6/25 via email by manager. (Soany Guerra)

OFFICIAL INSPECTION REPORT

Facility FA0205263 - CLUB CARIBE	Site Address 1001 S 1ST ST, SAN JOSE, CA 95110	Inspection Date 08/07/2025
Program PR0303109 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09	Owner Name LA CUMBRE ENT INC	Inspection Time 12:10 - 13:15

Facility is now OPEN.

FACILITY RE-OPENED / PERMIT REINSTATED

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/21/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Soany Guerra
manager

Signed On: August 07, 2025