

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0262297 - HOME EAT BANQUET		Site Address 88 S 4TH ST 150, SAN JOSE, CA 95112		Inspection Date 06/04/2026		Placard Color & Score YELLOW 81		
Program PR0412514 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14			Owner Name HOME EAT, LLC		Inspection Time 15:00 - 15:35			
Inspected By ALEXANDER ALFARO		Inspection Type ROUTINE INSPECTION		Consent By BELLA				FSC Zhaokun Yang 4/27/2028

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible		X		X			
K07	Proper hot and cold holding temperatures	X						
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods						X	
K10	Proper cooking time & temperatures						X	
K11	Proper reheating procedures for hot holding						X	
K12	Returned and reservice of food						X	
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized	X						
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available		X		X			
K22	Sewage and wastewater properly disposed			X				
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0262297 - HOME EAT BANQUET	Site Address 88 S 4TH ST 150, SAN JOSE, CA 95112	Inspection Date 06/04/2026
Program PR0412514 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name HOME EAT, LLC	Inspection Time 15:00 - 15:35
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K06 - 8 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations:

The handwash station at the bar was missing paper towels.

[CA] Single-use sanitary towels shall be provided in dispensers; heated-air hand drying device may be substituted for single-use towels.

[COS] Staff restocked the handwash stations.

K21 - 8 Points - Hot and cold water not available; 113953(c), 114099.2(b), 114163(a), 114189, 114192, 114192.1, 11419

Inspector Observations:

Facility's water heater stopped working during the inspection. Water measured at <100F at all plumbing fixtures. The water heater stated there was a blocked exhaust and that water heating was disabled. Tank temperature read at 81F.

[CA] Ensure hot water heater is operable and maintained in good repair at all times.

[COS] Staff turned the water heater on and off. Water heater began working and hot water was returned to plumbing fixtures at time of the inspection.

Minor Violations

K22 - 3 Points - Sewage and wastewater improperly disposed; 114197

Inspector Observations:

The handwash sink drains slowly.

[CA] Ensure the drains are working properly.

Performance-Based Inspection Questions

N/A

Measured Observations

N/A

Overall Comments:

Notes:

- A follow up inspection will be conducted in 24 hours. The first follow up inspection is free of charge. Any and all subsequent follow up inspections shall be charged at the approved hourly rate of \$298.00/hr, minimum of one hour, during normal business hours: Monday through Friday 7:30 AM to 4:30 PM, and \$645 for a minimum of two hours, during non-business hours, and upon inspector availability.

- Per Cristal, they have moved their central kitchen operation from this location to Union City. Ensure that if supplying foods from different counties to obtain a Processed Food Registration from the California Department of Public Health - Food and Drug branch. Per Cristal, this location is self-sufficient.

- Facility has removed the fryers from the fryer cook line. Refrigerators have been removed or disconnected from the hallway and the banquet room.

OFFICIAL INSPECTION REPORT

Facility FA0262297 - HOME EAT BANQUET	Site Address 88 S 4TH ST 150, SAN JOSE, CA 95112	Inspection Date 06/04/2026
Program PR0412514 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name HOME EAT, LLC	Inspection Time 15:00 - 15:35

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **6/18/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Zhi Zhou
Owner
Signed On: June 04, 2026