

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0293261 - DEMIYA		Site Address 1145 S DE ANZA BL, SAN JOSE, CA 95129		Inspection Date 02/01/2024	
Program PR0437490 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11			Owner Name DEMIYA, INC		Inspection Time 14:15 - 15:50
Inspected By RAYMOND CHUNG	Inspection Type ROUTINE INSPECTION		Consent By JOSUE ELIAS	FSC Not Available	

Placard Color & Score
GREEN
87

RISK FACTORS AND INTERVENTIONS	IN	OUT		COS/SA	N/O	N/A	PBI
		Major	Minor				
K01 Demonstration of knowledge; food safety certification			X				
K02 Communicable disease; reporting/restriction/exclusion	X						
K03 No discharge from eyes, nose, mouth	X						
K04 Proper eating, tasting, drinking, tobacco use	X						
K05 Hands clean, properly washed; gloves used properly	X						
K06 Adequate handwash facilities supplied, accessible			X				
K07 Proper hot and cold holding temperatures	X						
K08 Time as a public health control; procedures & records						X	
K09 Proper cooling methods	X						
K10 Proper cooking time & temperatures	X						
K11 Proper reheating procedures for hot holding					X		
K12 Returned and reservice of food					X		
K13 Food in good condition, safe, unadulterated	X						
K14 Food contact surfaces clean, sanitized			X	X			
K15 Food obtained from approved source	X						
K16 Compliance with shell stock tags, condition, display						X	
K17 Compliance with Gulf Oyster Regulations						X	
K18 Compliance with variance/ROP/HACCP Plan						X	
K19 Consumer advisory for raw or undercooked foods						X	
K20 Licensed health care facilities/schools: prohibited foods not being offered						X	
K21 Hot and cold water available	X						
K22 Sewage and wastewater properly disposed	X						
K23 No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES	OUT	COS
K24 Person in charge present and performing duties		
K25 Proper personal cleanliness and hair restraints		
K26 Approved thawing methods used; frozen food		
K27 Food separated and protected	X	
K28 Fruits and vegetables washed		
K29 Toxic substances properly identified, stored, used		
K30 Food storage: food storage containers identified		
K31 Consumer self service does prevent contamination		
K32 Food properly labeled and honestly presented		
K33 Nonfood contact surfaces clean		
K34 Warewash facilities: installed/maintained; test strips		
K35 Equipment, utensils: Approved, in good repair, adequate capacity		
K36 Equipment, utensils, linens: Proper storage and use		
K37 Vending machines		
K38 Adequate ventilation/lighting; designated areas, use		
K39 Thermometers provided, accurate		
K40 Wiping cloths: properly used, stored		
K41 Plumbing approved, installed, in good repair; proper backflow devices		X
K42 Garbage & refuse properly disposed; facilities maintained		
K43 Toilet facilities: properly constructed, supplied, cleaned		
K44 Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45 Floor, walls, ceilings: built, maintained, clean		
K46 No unapproved private home/living/sleeping quarters		
K47 Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0293261 - DEMIYA	Site Address 1145 S DE ANZA BL, SAN JOSE, CA 95129	Inspection Date 02/01/2024
Program PR0437490 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name DEMIYA, INC	Inspection Time 14:15 - 15:50
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K01 - 3 Points - Inadequate demonstration of knowledge; food manager certification

Inspector Observations:

Food Safety Certificate was not available. [corrective action] Provide a valid manager's Food Safety Certificate.

K06 - 3 Points - Inadequate handwash facilities: supplied or accessible; 113953, 113953.1, 113953.2, 114067(f)

Inspector Observations:

Paper towel dispenser at the back hand sink (near rear entrance) was not operable. [corrective action] Repair or replace the paper towel dispenser.

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations:

Chlorine sanitizer from the dishwasher measured 0 ppm. Chlorine sanitizer bottle was found to be empty. [corrective action] Replace the sanitizer bottle. Ensure equipment is sanitized with a final chlorine rinse of 50 ppm. [suitable alternative] Use the 3-compartment sink to wash and sanitize equipment until the dishwasher is functioning properly.

K27 - 2 Points - Food not separated and unprotected; 113984(a-d,f), 113986, 114060, 114067(a,d,e,j), 114069(a,b), 114077, 114089.1(c), 114143(c)

Inspector Observations:

Observed 2 pots of pork bone placed on the floor in front of the 3-compartment sink to cool down. 3-compartment sink was being used by employee to clean equipment. [corrective action] Do not store open food on the floor to prevent cross contamination. [correction] Employee moved the pots to the prep table.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

Observed the dishwasher drain line to be detached. [corrective action] Re-attach the drain line to the machine. Direct drain line to the nearest floor sink.

Performance-Based Inspection Questions

N/A

OFFICIAL INSPECTION REPORT

Facility FA0293261 - DEMIYA	Site Address 1145 S DE ANZA BL, SAN JOSE, CA 95129	Inspection Date 02/01/2024
Program PR0437490 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 3 - FP11	Owner Name DEMIYA, INC	Inspection Time 14:15 - 15:50

Measured Observations

<u>Item</u>	<u>Location</u>	<u>Measurement</u>	<u>Comments</u>
warm water	restroom	100.00 Fahrenheit	
curry (cooling)	2-door reach-in cooler	70.00 Fahrenheit	Leftover curry from lunch shift. Began cooling at 1 PM
quat sanitizer	from the dispenser	200.00 PPM	
ground beef	2-door reach-in freezer	27.00 Fahrenheit	
hot water	3-compartment sink	125.00 Fahrenheit	
chicken kaarage	cold drawer	41.00 Fahrenheit	
curry	2-door reach-in freezer	-1.00 Fahrenheit	
cooked baby clam	2-door reach-in freezer	21.00 Fahrenheit	
shrimp	2-door reach-in cooler	36.00 Fahrenheit	
sausage	chef's base	41.00 Fahrenheit	
heavy cream	reach-in cooler	38.00 Fahrenheit	
pork	chef's base	40.00 Fahrenheit	
chlorine sanitizer	dishwasher	0.00 PPM	
pork soup (cooking)	stock pot burner	210.00 Fahrenheit	
ground pork	reach-in cooler	39.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **2/15/2024**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Josue Elias
Employee

Signed On: February 01, 2024