

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0200145 - ULVACHARU TIFFINS		Site Address 1651 W CAMPBELL AV, CAMPBELL, CA 95008	Inspection Date 07/27/2026
Program PR0306577 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14		Owner Name ULVACHARU TIFFINS CAMPE	Inspection Time 11:00 - 12:00
Inspected By MAVERICK CHIN	Inspection Type FOLLOW-UP INSPECTION	Consent By LATHA K.	

Placard Color & Score

RED
N/A

Comments and Observations

Major Violations

Cited On: 07/21/2026

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Compliance of this violation has been verified on: 07/23/2026

Cited On: 07/21/2026

K09 - 8 Points - Improper cooling methods; 114002, 114002.1

Compliance of this violation has been verified on: 07/23/2026

Cited On: 07/21/2026

K14 - 8 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Compliance of this violation has been verified on: 07/23/2026

Cited On: 07/21/2026

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

This violation found not in compliance on 07/27/2026. See details below.

Cited On: 07/27/2026

K23 - 8 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations:

1. Observed Vermin: Documented in the following areas:

- 1 live cockroach crawling on the wall flashing at the cook-line, behind the stove and grill

2. Photographs: Taken for documentation purposes.

3. Supervisor Notified: S. Lew

4. Notification: The person in charge during inspection, Latha, has been informed that the facility must close immediately.

[CA]: The premises of each food facility must be maintained free of vermin. A facility cannot operate if there is a vermin infestation that leads to contamination of food contact surfaces, packaging, utensils, food equipment, or adulteration of food. The facility is required to cease operations immediately and must remain closed until all corrective actions on the provided checklist are completed.

Requirements Before Reopening:

1. Email the signed and completed Reopening Checklist to the assigned inspector.

2. Submit a copy of the pest control report from a licensed provider.

Minor Violations

Cited On: 07/27/2026

K33 - 2 Points - Nonfood contact surfaces not clean; 114115(c)

OFFICIAL INSPECTION REPORT

Facility FA0200145 - ULVACHARU TIFFINS	Site Address 1651 W CAMPBELL AV, CAMPBELL, CA 95008	Inspection Date 07/27/2026
Program PR0306577 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name ULVACHARU TIFFINS CAMPBELL INC	Inspection Time 11:00 - 12:00

Inspector Observations:

Observed accumulation of food buildup and debris on the interior and crevices of cooking equipment at the cook-line.

[CA] Ensure nonfood contact surfaces are cleaned to prevent the attraction of vermin.

Cited On: 07/27/2026

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations:

Observed leaking plumbing throughout the facility, including the faucet of the preparation sink, the diverter valve underneath the hand sink, and underneath the mechanical dishwasher. Observed standing water buildup on the floor throughout the facility.

[CA] Repair plumbing to prevent the attraction of vermin.

Cited On: 07/27/2026

K44 - 2 Points - Premises not clean, not in good repair; No personal/chemical storage; inadequate vermin-proofing; 114067(j), 114123, 114143 (a,b), 114256, 114256.1, 114256.2, 114256.4, 114257, 114257.1, 114259, 114259.2, 114259.3, 114279, 114281, 114282

Inspector Observations:

Observed unsealed cracks and crevices in, around, and underneath wall-mounted shelving throughout the kitchen. Observed an unsealed hole in the center of the kitchen where electrical cabling runs into the ceiling. Observed torn hole in the ceiling above the main preparation area near the cook-line.

[CA] Ensure all cracks, crevices, holes, and structural deficiencies are sealed to prevent the harborage of vermin.

Measured Observations

N/A

Overall Comments:

On-site for an operator scheduled third follow-up inspection after facility was closed due to evidence of a cockroach infestation.

Prior to the follow-up inspection, facility provided the following:

- 1) Pest control service report from a licensed provider stating that facility was treated and that no cockroach activity was observed**
- 2) Signed and completed vermin reopening checklist**
- 3) Paid invoice for billable, second follow-up inspection**

During the follow-up inspection, observed live cockroach activity. See violation above.

Facility shall remain closed due to further evidence of cockroach activity

Facility is to immediately cease and desist all operations, including but not limited to food preparation, service, handling, distribution, and sale.

The following must be provided again prior to scheduling the next reopening inspection:

- 1. The signed and completed Reopening Checklist, emailed to the assigned inspector**
- 2. A copy of the pest control report from a licensed provider, stating that facility has been treated and that all vermin activity has been abated, emailed to the assigned inspector**
- 3. Paid invoice for billable, third follow-up inspection**

A follow-up inspection must be conducted prior to facility reopening. Call or email to schedule.

Subsequent follow-up inspections after the first shall be billed at \$282/hour, one hour minimum, during normal business hours (7:30 AM to 4:30 PM), or \$645 for a minimum of 2 hours, during non-business hours and in accordance with the inspector's availability.

The posted placard is property of the Santa Clara County Department of Environmental Health and shall not be removed,

OFFICIAL INSPECTION REPORT

Facility FA0200145 - ULVACHARU TIFFINS	Site Address 1651 W CAMPBELL AV, CAMPBELL, CA 95008	Inspection Date 07/27/2026
Program PR0306577 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 3 - FP14	Owner Name ULVACHARU TIFFINS CAMPBELL INC	Inspection Time 11:00 - 12:00

covered-up, relocated, tampered with, camouflaged, or copied. Failure to comply may result in a fine and enforcement action as per county ordinance section B11-55.

A facility found in operation after having its permit suspended may be subject to a penalty of three times the facility's normal operating permit fee.

CLOSURE / PERMIT SUSPENSION NOTICE

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/10/2026**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

This notice is to inform you that as of this date the Environmental Health Permit for the above mentioned food facility is hereby suspended and all operations therewith are ordered to cease. This action is taken in accordance with Section 114409 of the California Health and Safety Code which states 'If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility or cottage food operation immediately closed.'

You have the right to make a written request for a hearing within 15 days after receipt of this notice to show just cause why the permit suspension is not warranted. Failure to request such a hearing within the 15-day period shall be deemed a waiver of the right to a hearing. After these violations have been corrected, you must call the Department of Environmental Health for a reinspection to reinstate the permit to operate. Phone #: (408)918-3400.

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Latha K.
Manager

Signed On: July 27, 2026