

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0203342 - SHORELINE MAIN STAGE KITCHEN		Site Address 1 AMPHITHEATRE PY, MOUNTAIN VIEW, CA 94043		Inspection Date 08/14/2025		Placard Color & Score GREEN 89		
Program PR0306730 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10			Owner Name LIVE NATION		Inspection Time 20:20 - 21:10			
Inspected By TRAVIS KETCHU		Inspection Type ROUTINE INSPECTION		Consent By SEAN				FSC Sandra Mills 4/13/2030

RISK FACTORS AND INTERVENTIONS		IN	OUT		COS/SA	N/O	N/A	PBI
			Major	Minor				
K01	Demonstration of knowledge; food safety certification	X						
K02	Communicable disease; reporting/restriction/exclusion	X						S
K03	No discharge from eyes, nose, mouth	X						
K04	Proper eating, tasting, drinking, tobacco use	X						
K05	Hands clean, properly washed; gloves used properly	X						
K06	Adequate handwash facilities supplied, accessible	X						S
K07	Proper hot and cold holding temperatures		X		X			
K08	Time as a public health control; procedures & records						X	
K09	Proper cooling methods	X						
K10	Proper cooking time & temperatures	X						
K11	Proper reheating procedures for hot holding	X						
K12	Returned and reservice of food	X						
K13	Food in good condition, safe, unadulterated	X						
K14	Food contact surfaces clean, sanitized			X	X			
K15	Food obtained from approved source	X						
K16	Compliance with shell stock tags, condition, display						X	
K17	Compliance with Gulf Oyster Regulations						X	
K18	Compliance with variance/ROP/HACCP Plan						X	
K19	Consumer advisory for raw or undercooked foods						X	
K20	Licensed health care facilities/schools: prohibited foods not being offered						X	
K21	Hot and cold water available	X						
K22	Sewage and wastewater properly disposed	X						
K23	No rodents, insects, birds, or animals	X						

GOOD RETAIL PRACTICES		OUT	COS
K24	Person in charge present and performing duties		
K25	Proper personal cleanliness and hair restraints		
K26	Approved thawing methods used; frozen food		
K27	Food separated and protected		
K28	Fruits and vegetables washed		
K29	Toxic substances properly identified, stored, used		
K30	Food storage: food storage containers identified		
K31	Consumer self service does prevent contamination		
K32	Food properly labeled and honestly presented		
K33	Nonfood contact surfaces clean		
K34	Warewash facilities: installed/maintained; test strips		
K35	Equipment, utensils: Approved, in good repair, adequate capacity		
K36	Equipment, utensils, linens: Proper storage and use		
K37	Vending machines		
K38	Adequate ventilation/lighting; designated areas, use		
K39	Thermometers provided, accurate		
K40	Wiping cloths: properly used, stored		
K41	Plumbing approved, installed, in good repair; proper backflow devices		
K42	Garbage & refuse properly disposed; facilities maintained		
K43	Toilet facilities: properly constructed, supplied, cleaned		
K44	Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing		
K45	Floor, walls, ceilings: built, maintained, clean		
K46	No unapproved private home/living/sleeping quarters		
K47	Signs posted; last inspection report available		

OFFICIAL INSPECTION REPORT

Facility FA0203342 - SHORELINE MAIN STAGE KITCHEN	Site Address 1 AMPHITHEATRE PY, MOUNTAIN VIEW, CA 94043	Inspection Date 08/14/2025
Program PR0306730 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name LIVE NATION	Inspection Time 20:20 - 21:10
K48	Plan review	
K49	Permits available	
K58	Placard properly displayed/posted	

Comments and Observations

Major Violations

K07 - 8 Points - Improper hot and cold holding temperatures; 11387.1, 113996, 113998, 114037, 114343(a)

Inspector Observations: Measured soup at 117 F within the soup warmer and sliced cheese at 64 F stored at room temperature at the buffet line. PIC stated the items were removed from temperature control 1 hour prior.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Allowed facility to continue serving items for the remained of the dinner period (3 hours total). Any left overs shall be discarded.

Recommend utilizing TPHC for PHF's held outside of temperature control.

Measured PHF's within the 2 door upright refrigerator at 45 F to 48 F. Ambient temperature measured at 48 F.

[CA] PHFs shall be held at 41°F or below or at 135°F or above.

[COS] Doors to the unit kept closed. Temperature remeasured at 40 F.

Minor Violations

K14 - 3 Points - Food contact surfaces unclean and unsanitized; 113984(e), 114097, 114099.1, 114099.4, 114099.6, 114101, 114105, 114109, 114111, 114113, 114115(a,b,d), 114117, 14125(b), 114141

Inspector Observations: Measured the chlorine sanitizer concentration at 0 ppm within the warewashing machine. Sanitizer bucket empty.

[CA] Maintain chlorine in mechanical warewash machine at 50 PPM.

[COS] Sanitizer bucket replaced and system primed. Remeasured at 50 ppm chlorine.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

Item	Location	Measurement	Comments
rice	warmer	172.00 Fahrenheit	
milk	counter top fridge	39.00 Fahrenheit	
chicken	walk in fridge	39.00 Fahrenheit	
soup	soup warmer	117.00 Fahrenheit	
ice cream base	machine	39.00 Fahrenheit	
chlorine	warewashing machine	0.00 PPM	
cheese	serving line	65.00 Fahrenheit	
warm water	hand wash sink	100.00 Fahrenheit	
hot water	3 comp sink	120.00 Fahrenheit	
potato salad	2 door upright fridge	47.00 Fahrenheit	
chicken	warmer	158.00 Fahrenheit	

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **8/28/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0203342 - SHORELINE MAIN STAGE KITCHEN	Site Address 1 AMPHITHEATRE PY, MOUNTAIN VIEW, CA 94043	Inspection Date 08/14/2025
Program PR0306730 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 2 - FP10	Owner Name LIVE NATION	Inspection Time 20:20 - 21:10

Legend:

[CA]	Corrective Action
[COS]	Corrected on Site
[N]	Needs Improvement
[NA]	Not Applicable
[NO]	Not Observed
[PBI]	Performance-based Inspection
[PHF]	Potentially Hazardous Food
[PIC]	Person in Charge
[PPM]	Part per Million
[S]	Satisfactory
[SA]	Suitable Alternative
[TPHC]	Time as a Public Health Control



Received By: Sean Wall
General Manager

Signed On: August 14, 2025