

County of Santa Clara

Department of Environmental Health

Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716

Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

| | | | | | | | | |
|---|--|--|--|--------------------------------------|---|--|--|------------------------------------|
| Facility FA0281049 - ALMADEN GOLF AND COUNTRY CLUB - UPPER | | Site Address 6663 HAMPTON DR, SAN JOSE, CA 95120 | | Inspection Date 07/11/2024 | | Placard Color & Score <div style="background-color: black; color: white; padding: 10px; text-align: center;"> GREEN 91 </div> | | |
| Program PR0422030 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09 | | | Owner Name ALMADEN GOLF & COUNTRY CLUB | | Inspection Time 13:00 - 13:30 | | | |
| Inspected By CHRISTINA RODRIGUEZ | | Inspection Type ROUTINE INSPECTION | | Consent By JAY REIS | | | | FSC Juan Valencia 2/2027 |

| RISK FACTORS AND INTERVENTIONS | | IN | OUT | | COS/SA | N/O | N/A | PBI |
|--------------------------------|---|----|-------|-------|--------|-----|-----|-----|
| | | | Major | Minor | | | | |
| K01 | Demonstration of knowledge; food safety certification | X | | | | | | S |
| K02 | Communicable disease; reporting/restriction/exclusion | X | | | | | | |
| K03 | No discharge from eyes, nose, mouth | X | | | | | | S |
| K04 | Proper eating, tasting, drinking, tobacco use | X | | | | | | |
| K05 | Hands clean, properly washed; gloves used properly | X | | | | | | |
| K06 | Adequate handwash facilities supplied, accessible | X | | | | | | |
| K07 | Proper hot and cold holding temperatures | X | | | | | | |
| K08 | Time as a public health control; procedures & records | | | | | X | | |
| K09 | Proper cooling methods | | | | | X | | |
| K10 | Proper cooking time & temperatures | | | | | X | | |
| K11 | Proper reheating procedures for hot holding | | | | | X | | |
| K12 | Returned and reservice of food | X | | | | | | |
| K13 | Food in good condition, safe, unadulterated | X | | | | | | |
| K14 | Food contact surfaces clean, sanitized | X | | | | | | |
| K15 | Food obtained from approved source | X | | | | | | |
| K16 | Compliance with shell stock tags, condition, display | | | | | | X | |
| K17 | Compliance with Gulf Oyster Regulations | | | | | | X | |
| K18 | Compliance with variance/ROP/HACCP Plan | | | | | | X | |
| K19 | Consumer advisory for raw or undercooked foods | | | X | | | | |
| K20 | Licensed health care facilities/schools: prohibited foods not being offered | | | | | | X | |
| K21 | Hot and cold water available | X | | | | | | |
| K22 | Sewage and wastewater properly disposed | X | | | | | | |
| K23 | No rodents, insects, birds, or animals | X | | | | | | |

| GOOD RETAIL PRACTICES | | OUT | COS |
|-----------------------|---|-----|-----|
| K24 | Person in charge present and performing duties | | |
| K25 | Proper personal cleanliness and hair restraints | | |
| K26 | Approved thawing methods used; frozen food | | |
| K27 | Food separated and protected | | |
| K28 | Fruits and vegetables washed | | |
| K29 | Toxic substances properly identified, stored, used | X | |
| K30 | Food storage: food storage containers identified | | |
| K31 | Consumer self service does prevent contamination | | |
| K32 | Food properly labeled and honestly presented | | |
| K33 | Nonfood contact surfaces clean | | |
| K34 | Warewash facilities: installed/maintained; test strips | X | |
| K35 | Equipment, utensils: Approved, in good repair, adequate capacity | | |
| K36 | Equipment, utensils, linens: Proper storage and use | | |
| K37 | Vending machines | | |
| K38 | Adequate ventilation/lighting; designated areas, use | | |
| K39 | Thermometers provided, accurate | | |
| K40 | Wiping cloths: properly used, stored | | |
| K41 | Plumbing approved, installed, in good repair; proper backflow devices | X | |
| K42 | Garbage & refuse properly disposed; facilities maintained | | |
| K43 | Toilet facilities: properly constructed, supplied, cleaned | | |
| K44 | Premises clean, in good repair; Personal/chemical storage; Adequate vermin-proofing | | |
| K45 | Floor, walls, ceilings: built, maintained, clean | | |
| K46 | No unapproved private home/living/sleeping quarters | | |
| K47 | Signs posted; last inspection report available | | |

OFFICIAL INSPECTION REPORT

| | | |
|--|---|----------------------------------|
| Facility FA0281049 - ALMADEN GOLF AND COUNTRY CLUB - UPPER | Site Address 6663 HAMPTON DR, SAN JOSE, CA 95120 | Inspection Date 07/11/2024 |
| Program PR0422030 - FOOD PREP / FOOD SVC OP 0-5 EMPLOYEES RC 1 - FP09 | Owner Name ALMADEN GOLF & COUNTRY CLUB | Inspection Time 13:00 - 13:30 |
| K48 | Plan review | |
| K49 | Permits available | |
| K58 | Placard properly displayed/posted | |

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K19 - 3 Points - Non-compliance with consumer advisory for raw or undercooked foods; 114012, 114093

Inspector Observations: There is not a consumer advisory for raw or undercooked foods on the menu. [CA] Provide the advisory on the menu since there are steaks and burgers that may be requested undercooked.

K29 - 2 Points - Toxic substances improperly identified, stored, used; 114254, 114254.1, 114254.2

Inspector Observations: Observed unlabeled spray bottle of cleaner. [CA] Label the bottle with the contents.

K34 - 2 Points - Warewashing facilities: not installed or maintained; no test strips; 114067(f,g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125

Inspector Observations: The dish machine is not giving chlorine nor reaching proper rinse for a high temp only sanitize. [CA] The sanitizer must reach 50ppm at the machine.

K41 - 2 Points - Plumbing unapproved, not installed, not in good repair; improper backflow devices; 114171, 114189.1, 114190, 114192, 114193, 114193.1, 114199, 114201, 114269

Inspector Observations: Observed the drain pipe in the floor sink. [CA] Remove the drain pipe to provide an air gap between the pipe and top of the floor sink.

Performance-Based Inspection Questions

All responses to PBI questions were satisfactory.

Measured Observations

| Item | Location | Measurement | Comments |
|----------|--------------|------------------|----------|
| drinks | refrigerator | 37.00 Fahrenheit | |
| chlorine | machine | 0.00 PPM | |

Overall Comments:

When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than 7/25/2024. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

Legend:

| | |
|--------|---------------------------------|
| [CA] | Corrective Action |
| [COS] | Corrected on Site |
| [N] | Needs Improvement |
| [NA] | Not Applicable |
| [NO] | Not Observed |
| [PBI] | Performance-based Inspection |
| [PHF] | Potentially Hazardous Food |
| [PIC] | Person in Charge |
| [PPM] | Part per Million |
| [S] | Satisfactory |
| [SA] | Suitable Alternative |
| [TPHC] | Time as a Public Health Control |



Received By:

Signed On: July 11, 2024