

County of Santa Clara
Department of Environmental Health
Consumer Protection Division

1555 Berger Drive, Suite 300, San Jose, CA 95112-2716
 Phone (408) 918-3400 www.ehinfo.org



OFFICIAL INSPECTION REPORT

Facility FA0206682 - D-D DELIGHT		Site Address 1645 FLICKINGER AV, SAN JOSE, CA 95131		Inspection Date 04/10/2025	
Program PR0301835 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13			Owner Name DUY LE		Inspection Time 16:35 - 16:55
Inspected By THAO HA		Inspection Type LIMITED INSPECTION		Consent By DUY LE	

Placard Color & Score GREEN N/A

Comments and Observations

Major Violations

No major violations were observed during this inspection.

Minor Violations

K23 - 3 Points - Observed rodents, insects, birds, or animals; 114259.1, 114259.4, 114259.5

Inspector Observations: Rodent droppings observed:

- In the electronic cabinet with the wifi router.
- Under bar counter by alter
- Under cabinet next to the wifi router areas with unused containers
- Under prep sink
- In void between cabinet and wall sealed by chicken wire

[CA] Facility will remove vermin droppings, clean and sanitize affected areas. Remove vermin and vermin proof facility.

Regularly monitor for rodent activity and clean any evidence of rodents.

Recommend storing food items in front area in secondary large containers with tight fitting lids to protect from vermin and make cleaning cabinets easier.

Per operator he is currently working with Advance IPM Pest Management to address the problem.

Performance-Based Inspection Questions

N/A

Measured Observations

Item	Location	Measurement	Comments
Hot water	3-comp sink	120.00 Fahrenheit	
Warm water	handwash sink	100.00 Fahrenheit	
Bleach	3-comp sink	100.00 Fahrenheit	

Overall Comments:

Inspection due to complaint investigation.


When required to determine compliance, a single reinspection will be conducted without additional charge. If subsequent reinspections are required, an hourly fee (minimum one hour) at the current rate approved by the Board of Supervisors will be assessed for each and every reinspection until the necessary changes or corrections are made. Unless otherwise noted by the inspector, all violations are to be corrected no later than **4/24/2025**. Any major change in menu or any change in ownership must have prior approval by this Department. This may require structural and/or equipment changes or remodeling to accommodate new operations.

OFFICIAL INSPECTION REPORT

Facility FA0206682 - D-D DELIGHT	Site Address 1645 FLICKINGER AV, SAN JOSE, CA 95131	Inspection Date 04/10/2025
Program PR0301835 - FOOD PREP / FOOD SVC OP 6-25 EMPLOYEES RC 2 - FP13	Owner Name DUY LE	Inspection Time 16:35 - 16:55

Legend:

- [CA] Corrective Action
- [COS] Corrected on Site
- [N] Needs Improvement
- [NA] Not Applicable
- [NO] Not Observed
- [PBI] Performance-based Inspection
- [PHF] Potentially Hazardous Food
- [PIC] Person in Charge
- [PPM] Part per Million
- [S] Satisfactory
- [SA] Suitable Alternative
- [TPHC] Time as a Public Health Control



Received By: Duy Le
Owner

Signed On: April 10, 2025